# Community Respiratory Illness Surveillance Program (CRISP) Situation Report: October 10, 2025 (Reporting Period September 7 – October 4, 2025)

**COVID-19 test positivity has decreased from 9.6% in late September to 7.9% in the most recent week. COVID-19 hospitalizations have similarly decreased. RSV and influenza activity remain low and stable. Over the last four weeks, the most common respiratory virus detected by sentinel physicians is rhinovirus (the common cold). Calls to 811 for respiratory-like illness have increased in last two weeks to 75 per 1,000. Saskatchewan residents can now start booking their vaccinations for both the flu and COVID-19 at 4flu.ca.**

**Note: Bi-weekly CRISP reporting will resume on Friday, October 24th.**

**Viral Indicators:**

- COVID-19 test positivity rate (7.9%) increased in the week ending October 4, compared to the week ending September 13 (6.2% test positivity). Eighty-six percent of the cases were 20 years of age and older.
- RSV test positivity remained stable and low during this reporting period; five positive tests were reported in the week ending October 4.
- Influenza test positivity has declined from 1.2% in the week ending September 20 to 0.5% in the week ending October 4.
- From August 10 to September 20, 2025, XFG and its sublineages (denoted as XFG*) were the most commonly detected variants (66.3%), followed by LP.8.1* (19.4%), JN.1* (7.1%) and NB.1.8.1* (7.1%).
- COVID-19 wastewater activity is at moderate level.

**Community indicators:**

- The number of respiratory-like illness calls to 811 HealthLine increased during this reporting period, from 52.3 calls per 1,000 calls in the week ending September 13 to 74.6 calls per 1,000 in the week ending October 4.
- Rhinovirus was the most frequently detected virus by the sentinel healthcare providers during this reporting period.
- School absenteeism decreased from 11.3% for the week ending September 27 to 8.2% for the week ending October 4, 2025.

**Outbreaks:**

- Twenty-two respiratory virus outbreaks were reported in high-risk settings (long-term care facilities, personal care homes and group homes) in this reporting period. Half (11) of the outbreaks reported were due to COVID-19 and the remaining eleven were other respiratory outbreaks, nine of which were due to were due to rhinovirus.

**Severe Outcomes (Hospitalizations/ICU admissions/Deaths):**

- COVID-19 hospitalizations declined from 44 in the preceding two-week period to 34 in the most recent two-week period. Three ICU admissions related to COVID-19 were reported during this interval. Hospitalizations for influenza and RSV remained stable at low levels throughout the reporting period, with no ICU admissions reported for either virus.
- Two COVID-19 associated deaths were reported in the last four weeks. No influenza related deaths were reported.

**Table 1: Viral indicators by surveillance period, September 7, 2025 – October 4, 2025**

| Report date | SARS-CoV-2 positive laboratory test | SARS-CoV-2 test positivity | COVID-19 outbreaks | Influenza positive laboratory test | Influenza test positivity | Influenza outbreaks | RSV positive laboratory test | RSV test positivity | RSV outbreaks | 'Other'[1] positive laboratory test | 'Other'[1] sample positivity | 'Other'[1] outbreaks |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Sep 28 – Oct 4 | 79 | 7.9% | 3 | 4 | 0.5% | 0 | 5 | 0.6% | 0 | 90 | 26.8% | 5 |
| Sep 21 – Sep 27 | 99 | 9.6% | 5 | 2 | 0.2% | 0 | 2 | 0.2% | 0 | 99 | 22.3% | 2 |
| Sep 14 – Sep 20 | 66 | 7.2% | 3 | 11 | 1.2% | 0 | 1 | 0.1% | 0 | 86 | 22.4% | 2 |
| Sep 7 – Sep 13 | 83 | 6.2% | 0 | 4 | 0.5% | 0 | 3 | 0.4% | 0 | 83 | 24.6% | 2 |

***Notes:*** [1]*Parainfluenza viruses 1 – 4; Adenovirus; Human Metapneumovirus, seasonal Coronavirus and Entero/Rhinovirus.*

[#]*Starting with the week of October 22-28, 2023, the method for calculating test positivity for "Other" respiratory viruses has changed to more accurately reflect the number of positive results in laboratory samples tested for "other" respiratory viruses. Samples that tested positive for more than one of the "Other" viruses are counted only once. See Technical Notes for details.*

**Table 2: Lab-confirmed respiratory illness by age group, September 28 – October 4, 2025**

| Age group (Years) | COVID-19 case count | Influenza case count | RSV case count | 'Other' virus case count[1] |
|---|---|---|---|---|
| 0 – 4 | 5 (6.8%) | 0 (0.0%) | 2 (40.0%) | 90 (100%) |
| 5 – 19 | 5 (6.8%) | 0 (0.0%) | 1 (20.0%) | |
| 20 – 64 | 32 (43.8%) | 1 (50.0%) | 0 (0.0%) | |
| ≥65 | 31 (42.5%) | 1 (50.0%) | 2 (40.0%) | |
| Total | **73 (100%)** | **2 (100%)** | **5 (100%)** | 90 (100%) |

***Notes:*** *[1]Parainfluenza viruses 1 – 4; Adenovirus; Human Metapneumovirus, seasonal Coronavirus and Entero/Rhinovirus; age-specific data is unavailable for other respiratory pathogens. Individuals with co-infection of "Other" viruses are only counted once. Due to the rounding, total percentage may not add to 100%. See Technical Notes for further details.*

**Table 3: Sentinel* indicators by surveillance period, Saskatchewan, September 7, 2025 – October 4, 2025**

| Report date | School illness absenteeism[1] | RLI** ED visits per 1,000 | RLI** 811 calls per 1,000 | SARS-CoV-2 Wastewater indicator[2] | Sentinel provider test positivity[3] | Most commonly detected virus: Sentinel providers[3] |
|---|---|---|---|---|---|---|
| Sep 28 – Oct 4 | 8.2% | No data | 74.6 | Non-detect (*n*= 3), Low (*n*= 3), Medium (*n*= 3), Medium-high (*n*= 1), High (*n*= 0) | 29% (n=2) | Rhinovirus |
| Sep 21 – Sep 27 | 11.3% | No data | 72.5 | Non-detect (*n*= 2), Low (*n*= 3), Medium (*n*= 5), Medium-high (*n*= 0), High (*n*= 0) | 79% (n=19) | Rhinovirus |
| Sep 14 – Sep 20 | 8.8% | No data | 58.5 | Non-detect (*n*= 2), Low (*n*= 2), Medium (*n*= 4), Medium-high (*n*= 2), High (*n*= 0) | 46% (n=6) | Rhinovirus |
| Sep 7 – Sep 13 | 6.9% | No data | 52.3 | Non-detect (*n*= 2), Low (*n*= 4), Medium (*n*= 4), Medium-high (*n*= 0), High (*n*= 0) | 50% (n=5) | Rhinovirus |

***Notes:*** **Sentinel surveillance are sampling programs representative of the population; [1]School absenteeism is the proportion of scheduled children who were absent from the class due to illness. The type of illness is not specified. [2]Count of wastewater treatment facilities reporting low, moderate or high levels of viral load causing COVID-19 infection. See Technical Notes and appendix for details. [3]Most commonly detected virus in Sentinel providers: COVID-19, Influenza A/B, Respiratory Syncytial Virus (RSV), Adenovirus, Metapneumovirus, Rhinovirus, Parainfluenza viruses (PIV) 1-4, and seasonal Coronaviruses (229E, HKU1, NL63, and OC43).*

**Table 4: Outcome, health care capacity, and immunization coverage indicators by surveillance period, Saskatchewan, September 7 – October 4, 2025[¥]**

| Report date | Hospital admissions – COVID-19[1] | ICU admissions – COVID-19 | Hospital admissions – Influenza | ICU admissions – Influenza | Hospital admissions – RSV | ICU admissions – RSV | % of staffed inpatient beds occupied by COVID-19 patients[2] | Deaths – COVID-19 | Deaths – Influenza[3] | Proportion of population with COVID-19 vaccine administered[4] | Proportion of population immunized for Influenza vaccine[4] |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sep 28 – Oct 4 | 18 | 1 | 1 | 0 | 2 | 0 | 0.7% | 1 | 0 | 14.4% | 21.1% |
| Sep 21 – Sep 27 | 16 | 0 | 0 | 0 | 0 | 0 | 0.9% | 0 | 0 | | |
| Sep 14 – Sep 20 | 19 | 1 | 0 | 0 | 0 | 0 | 0.9% | 0 | 0 | | |
| Sep 7 – Sep 13 | 25 | 1 | 0 | 0 | 2 | 0 | 0.6% | 1 | 0 | | |

*[¥]Additional information on hospital admission stratified by respiratory organism and age group is provided below in **Figure 3** and **4** respectively. Viral infection may not be the main reason for the admission.*

**Cases by respiratory organisms across the age groups**

- From September 7 to October 4, 2025, there were 134 respiratory illness cases hospitalized with lab-positive COVID-19 (78), Influenza (1), RSV (4), other respiratory illnesses (49), and co-infected cases (2).. The COVID-19 lab positives were among the age groups of 0-19 (11), 20-59 (15) and ≥60 (52). The Influenza lab positives were in the age group of 20-59 (1). The RSV lab positive was in the age group of 0-19 (2) and ≥60 (2). The other respiratory lab positives were in the age group of 0-19 (35), 20-59 (7) and ≥60 (7). The Co-infected lab positives were in the age groups of 0-19 (1) and ≥60 (1).
- From September 7 to October 4, 2025, there were 8 respiratory illness case admitted to the ICU with lab-positive COVID-19 (3) and other respiratory illnesses (5) this reporting period. The COVID-19 lab positives were among the age groups of 0-19 (1), 20-59 (1) and ≥60 (1). The other respiratory lab positive was among the age group of 0-19 (3) and 20-59 (2).


***Notes:*** *[1] The delay in date tested result affects the total number of Influenza (A/B), RSV and other respiratory virus admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated. The counts for influenza, RSV, and other respiratory virus-associated hospital and ICU admissions refer to individuals with laboratory or point of care tests positive for influenza, RSV, and other respiratory viruses, respectively, occurring within four days before the admission date AND/OR at any point during the hospital stay. The counts for COVID-19 hospital and ICU admissions refer to individuals with laboratory tests positive for COVID-19 virus, occurring within 21 days before the admission date and/or at any point during the hospital stay or 7 days from the discharge. Episodes of care considers patients total movement within the health system related to their condition. It combines 2 or more admission from 2 or more different facilities if they are transfers (No break in care). Transfer: Admission to any other hospital within 24 hours of discharge from previous hospital. Co-infected cases: positive for influenza and RSV or, positive for influenza and other respiratory virus or positive for RSV and other respiratory viruses or, positive for COVID-19 and influenza or, positive for COVID-19 and RSV or, Positive for COVID-19 and other respiratory viruses. Other includes Parainfluenza 1-4, Adenovirus, Enterovirus, Human Metapneumovirus, Rhinovirus, Seasonal Coronavirus (O43, NL63, 229E, HKU1f.)*

*[2]7-day average of percentage of acute inpatient beds staffed and in operation that are occupied by COVID-positive patients as of 8AM census*

*[3] Includes deaths entered into Panorama IOM among lab-confirmed cases. Deaths reported based on the actual date of death. Deaths reported in previous periods subject to change due death reporting data lags.*

*[4]The fall immunization campaign for COVID-19 and influenza started on October 15, 2024. The first doses of COVID-19 vaccines arrived the week of September 30 and the first influenza vaccines arrived in SK the week of September 23. Coverage is based on Influenza vaccine doses administered on or after September 23, 2024 and COVID-19 vaccines administered on or after September 30, 2024. The most recent rate is as of June 14, 2025.*


**Figure 1: Epidemic curve, respiratory illness by organism and test positivity, August 28, 2022 – October 4, 2025**




*Data sources: Panorama IOM extracted on October 8, 2025 (COVID-19 cases)*
*Respiratory Virus Detections Surveillance System (influenza and other respiratory) (RRPL extracted October 8, 2025)*
*As of November 19, 2022, COVID-19 cases include new and reinfections.*
*For the four weeks of September 7 to October 4, 2025, there were:*

- *296 COVID-19 cases (42 were 0 to 19 years; 96 were 20 to 59 years; and 158 were 60 years and older).*
- *21 Influenza lab detections*
- *11 RSV detections*
- *358 other viral lab detections (parainfluenza, adenovirus, human metapneumovirus, rhinovirus, coronavirus)*


**Figure 2: Percentage of SARS-CoV-2 variants, August 10 – September 20, 2025¥***





| Lineage | Aug 16 | Aug 23 | Aug 30 | Sep 06 | Sep 13 | Sep 20 |
|---|---|---|---|---|---|---|
| JN.1* | 1 | 3 | 1 | 0 | 1 | 1 |
| LP.8.1* | 2 | 7 | 6 | 1 | 2 | 1 |
| NB.1.8.1* | 2 | 2 | 1 | 0 | 2 | 0 |
| XFG* | 9 | 12 | 12 | 13 | 17 | 2 |
| Total | 14 | 24 | 20 | 14 | 22 | 4 |

***Data Source:*** *Roy Romanow Provincial Laboratory, Saskatchewan Health Authority, as of October 8, 2025*
*¥ Surveillance weeks correspond to specimen collection date.*
** Parent lineage reported also includes all sublineages derived from this parent lineage.*


**Figure 3: The number of COVID-19, influenza, RSV, other respiratory viruses, and co-infected cases admitted to hospital and ICU by week of the admission, August 28, 2022 – October 4, 2025***





***Data source:*** *Digital Health Analytics, Saskatchewan Health Authority, Episode of Care methodology (Admission, Discharge, Transfer Database (ADT, RRPL, Panorama); data extracted on Oct 7, 2025. * Viral infection may not be the main reason for the admission.*
***Note:*** *The delay in date tested result affects the total number of COVID 19 admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated. Includes lab or point of care positive for influenza, RSV, other respiratory viruses, four days prior to date of admission AND/OR at any point during admission. Episode of Care considers patients total movement within the health system related to their condition. It combines 2 or more admissions from 2 or more different facilities, if they are transferred (no break in care). Transfer = admission to any other hospital within 24 hours of discharge from previous hospital admission. Co-infected cases = positive for Influenza and RSV, or Influenza and 'other', or RSV and 'other', or, COVID-19 and Influenza, or, COVID-19 and RSV, or COVID-19 and 'other'.*

**Figure 4: The number of COVID-19, influenza, RSV, other respiratory viruses, and co-infected cases admitted to hospital by age group, September 7 – October 4, 2025***




***Data source:*** *Digital Health Analytics, Saskatchewan Health Authority, Episode of Care methodology (Admission, Discharge, Transfer Database (ADT, RRPL, Panorama); data extracted on Oct 7, 2025. *Viral infection may not be the main reason for the admission.*
***Note:*** *The delay in date tested result affects the total number of COVID 19 admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated. Includes lab or point of care positive for influenza, RSV, other respiratory viruses, four days prior to date of admission AND/OR at any point during admission. Episode of Care considers patients total movement within the health system related to their condition. It combines 2 or more admissions from 2 or more different facilities if they are transferred (no break in care). Transfer = admission to any other hospital within 24 hours of discharge from previous hospital admission. Co-infected cases = positive for Influenza and RSV, or Influenza and 'other', or RSV and 'other', or, COVID-19 and Influenza, or, COVID-19 and RSV, or COVID-19 and 'other'.*

**Figure 5: COVID-19 deaths by age group and week, August 28, 2022 – October 4, 2025***




**Source: Panorama October 8, 2025**
*In the past four weeks, September 7 to October 4,2025, two deaths were reported among COVD-19 cases.*
**Total COVID-19 deaths from March 2020 to date; n=2,100*

**Table 5: Community Respiratory Infection Surveillance Program Indicators by zone, September 28 – October 4, 2025**

| Location | Test positivity – SARS-CoV-2 [1] (positive lab tests) | Test positivity – Influenza (positive lab tests) | Test positivity – RSV (positive lab tests) | RLI* visits to EDs per 1,000[2] | RLI* 811 calls per 1,000[3] | School illness absenteeism[4] | Wastewater indicator† |
|---|---|---|---|---|---|---|---|
| **Far North West** (Meadow Lake & area) | 6.2% (4) | 0.0% (0) | 0.0% (0) | No data | - | 6.7% | Low |
| **Far North Central** | 0.0% (0) | 0.0% (0) | 0.0% (0) | No data | - | 0.0% | No data |
| **Far North East** (La Ronge & area) | 0.0% (0) | 0.0% (0) | 0.0% (0) | No data | - | 6.3% | Non-detect |
| **North West** (Lloydminster & area/North Battleford) | 7.4% (5) | 0.0% (0) | 0.0% (0) | No data | 112.0 | 8.4% | Non-detect |
| **North Central** (Prince Albert & area) | 8.6% (5) | 0.0% (0) | 0.0% (0) | No data | - | 10.4% | Medium |
| **North East** (Melfort & area) | 2.5% (1) | 0.0% (0) | 0.0% (0) | No data | 88.9 | 7.8% | No data |
| **Saskatoon** | 7.8% (20) | 0.4% (1) | 0.9% (2) | No data | 85.6 | 8.9% | Medium |
| **Central West** (Kindersley & area) | 7.1% (1) | 0.0% (0) | 0.0% (0) | No data | - | 7.2% | No data |
| **Central East** (Yorkton/Melville & area) | 5.8% (4) | 0.0% (0) | 0.0% (0) | No data | - | 8.2% | Low |
| **Regina** | 13.8% (22) | 1.4% (2) | 0.7% (1) | No data | 58.4 | 7.7% | Medium |
| **South West** (Swift Current/ Maple Creek & area) | 4.9% (2) | 2.6% (1) | 0.0% (0) | No data | 85.1 | 4.3% | Non-detect |
| **South Central** (Moose Jaw & area) | 4.1% (2) | 0.0% (0) | 4.2% (2) | No data | - | 7.8% | Medium-high |
| **South East** (Weyburn/Estevan & area) | 8.9% (4) | 0.0% (0) | 0.0% (0) | No data | 48.0 | 9.0% | Low |
| **Unknown/Out of Province** | 8.7% (9) | 0.0% (0) | 0.0% (0) | No data | - | 7.2% | - |
| **SASKATCHEWAN** | **7.9% (79)** | **0.5% (4)** | **0.6% (5)** | No data | **74.6** | **8.2%** | **-** |

*Notes: [1]By week of lab detection; effective Oct 30, 2022, includes cases who tested positive more than once >= 90 days apart; ^ [1]For COVID-19 test positivity, all tests reported were performed within the province. [3] 811 data available at the six Integrated Service Areas geographical level. Unknown represents the number of students who were absent from the class due to illness with no known geography for the school. School absenteeism is the proportion of scheduled children who were absent from the class due to illness. The type of illness is not specified. †SK overall estimate is currently unavailable as this metric tends to overestimate and underestimate WW level due to varied patterns across regions, which is difficult to synchronize with the population size of each region.*

# Technical Notes

1. Laboratory surveillance: Conducted through epidemiological analyses and positivity rate monitoring (counts and proportion of positive specimens, week of specimen collection, age category, geographical area, etiological type where applicable) of selected respiratory specimens submitted to the provincial laboratory in SK. Whole genome sequencing is conducted to detect changes (emergence of sub-lineages, variant proportion, etc) of clinical and public health importance among circulating respiratory organisms.

2. Sentinel health providers: Comprise a geographical-based network in practices across the province (n = 13 zones) who submit one to two specimens weekly to the Microbiology section of Royal University Hospital and the Molecular Diagnostics section of Roy Romanow Provincial Laboratory (RRPL), Saskatchewan Health Authority, from patients presenting with respiratory-like symptoms. Specimens are tested for a wider complement of respiratory organisms to monitor respiratory illness activity in the community. Assessment of co-infection (infected by more than one respiratory virus organism concurrently) occurs through sentinel provider submissions.

3. Wastewater data: Provided by the Roy Romanow Provincial Laboratory Wastewater Testing Team. Viral load for each zone was used to determine risk levels (Low, Medium, Medium-High, and High) based on viral copies per unit volume and weekly change percentage. Locations sampled include Saskatoon, Regina, Moose Jaw, North Battleford, Swift Current, Yorkton, Weyburn, Estevan, Meadow Lake, Melville, Town of Battleford, La Ronge, Unity, Assiniboia, Maple Creek, Lumsden, Watrous, Île-à-la-Crosse, Birch Hills, Southey, and Pasqua First Nation.

4. HealthLine 811 callers with Respiratory Symptoms (RLI): This count of response protocols collected by HealthLine nurses specific to callers reporting respiratory-like symptoms. HealthLine data is collected for a seven-day week, Monday to Sunday. Data is transformed into the rate of callers with respiratory symptoms from each Integrated Service Area (ISA) per 1000 calls from that ISA concerning any type of symptom.

5. A confirmed outbreak: Defined as two or more lab confirmed respiratory virus cases in high-risk settings where transmission is evident or there is a high level of suspicion of transmission. Outbreaks are reported by the week they were reported to the local public health office and not necessarily in the week that the outbreak began. For this report outbreaks in high-risk settings comprise long term care facilities, personal care homes and group homes.

6. COVID hospitalized admissions is the number of C-19 positive cases that during the surveillance week were admitted as an inpatient to an acute care facility. This includes patients with C-19 related illness, incidental COVID infection, and patients under investigation. COVID ICU admissions is the number of C-19 positive cases that during the surveillance week were admitted to an ICU location in SK. This includes both infectious and non-infectious cases.

7. Influenza, RSV and other respiratory virus admissions: Delays in testing results affect the total number of Influenza, RSV and other respiratory virus admissions for a particular day. This lag in data has the greatest impact on the two days prior to when the report is updated. Counts include individuals who are laboratory positive for influenza, RSV, and other respiratory viruses, within four days prior to date of admission AND/OR at any point during the hospital stay. Episode of Care considers patients' total movement within the health system related to their condition. It combines 2 or more admissions from 2 or more different facilities, if they are transfers (i.e., no break in care). Transfer: Admission to any other hospital within 24 hours of discharge from previous hospital. Co-infected Cases = if positive for Influenza and RSV positive for Influenza and Other Respiratory viruses or, positive for RSV and Other respiratory viruses or, positive for Covid-19 and Influenza or, positive for Covid-19 and RSV or, positive for Covid-19 and Other Respiratory viruses.

8. Variant of Concern (VOC): VOCs are SARS-CoV-2 viruses that have undergone genetic modification or mutation causing altered virus infectivity, replication and pathogenicity. As a result, it can alter host immune response. The Roy Romanow Provincial Laboratory (RRPL) tests for and monitors COVID-19 variants of concern (VOCs) in Saskatchewan. Confirmation of VOC lineages is done by conducting whole genome sequencing (WGS) at RRPL or the National Microbiology Laboratory. It takes one to two weeks to complete WGS from the date a sample is collected. Data sources for VOCs analysis include testing data from the RRPL, and epidemiological information from Panorama. Where geographical zone is missing in RRPL or Panorama data, the Saskatchewan postal code file is used to identify cases' geographical information.

   Lineages JN.1, JN.1.18, LB.1, KP.2, KP.3, KP.3.1.1, XEC are all classified under the WHO label of "Omicron". Lineages that are not explicitly indicated in the analysis are aggregated under their corresponding parent lineage. Percentages are shown when a lineage or variant group constitutes 5% or more of total specimens evaluated for a given surveillance week.

9. COVID-19 cases: Effective September 4, 2022, COVID-19 cases are based on lab detection and include cases who tested positive more than once 90 days, or further, apart. Prior to this, cases include, only, first time cases reported and entered into Panorama.

10. COVID-19 Deaths: Includes deaths entered into Panorama IOM among laboratory confirmed cases. Deaths are reported based on the actual date of death. Deaths in previous periods may be adjusted from previous reports due to data lag.

11. COVID-19 Immunizations: Up to date (UTD) COVID-19 vaccination is the proportion of people having completed a primary series and one booster for ages five and older divided by the eligible population found in the Saskatchewan Covered Population, 12-Nov-2022 Ministry of Health version (2022 Version 2). Though vaccinated children six months to four years of age may be technically UTD, this specific definition does not apply to them. In addition, UTD in last six months is calculated by the proportion of people having received one or more boosters within the previous six months.

12. Influenza immunizations: UTD Influenza vaccination is the proportion of people, six months and older, having one influenza dose this season divided by the eligible population found in the Saskatchewan Covered Population, 12-Nov-2022 Ministry of Health version (2022 Version 2). Vaccination for the current influenza season officially began October 11, 2022. Some doses were administered prior to the start date.

13. Staffed Inpatient beds: Weekly average COVID Occupancy is a 7-Day average percentage of acute inpatient beds staffed and in operation COVID positive patients occupy. The full calculation of this metric is: Average COVID occupance=$\sum$(8am covid census) ÷ $\sum$(8am beds staffed and in operation) × 100%. Where "bed staffed and in operation = "Planned beds" + "Surge Beds" - "Closed" and $\sum$(…) indicates summation over 7-day period from Sunday to Saturday. 8am COVID census is taken from the ADT patient registration, which is fed to the provincial data-mart and archived hourly. 8am planned bed, surge beds, and closed beds is compiled via data feeds from APF (Saskatoon & Regina) and the provincial bed edits interface (INH &IRH).

14. Rate of COVID-19 hospitalization (ICU or Death) were calculated by summing the daily number of hospitalizations (ICUs or Deaths) for the period by vaccine status (numerator) divided by the mid period population by respective vaccine status (denominator), multiplied by 100,000. This estimate is further divided by the number of days to obtain the daily rate. Denominator for individuals in the Booster in the past 6-months group are all Saskatchewan residents who have had their booster dose within the last 6 months. To eliminate bias of age all rates are adjusted by age. Direct standardization method is employed using the Saskatchewan population as the standard population. Age at first dose used in the rate calculation. Individuals with unknown age are excluded from age-specific analyses. Estimates of relative risk (i.e., rate ratios) is obtained by comparing vaccinated with 2 doses (Any Booster dose) and unvaccinated. Risk estimates may differ from other reports due to differing methodologies. Relative risk estimates methodology is described elsewhere. See Namrata Bains. *Standardization of Rates* (March 2009).




Saskatchewan


Technical Notes

# Appendix: Wastewater Surveillance for SARS-CoV-2 by cities, Saskatchewan


## Meadow Lake





## North Battleford





## Battleford‡





## Saskatoon





## Yorkton





## Regina





## Swift Current




## Assiniboia




## Moose Jaw





**Quantitative Interpretation**:


- Non-detect: 0 gene copy per mL/gene copies < LOD (limit of detection)
- Low: < 20 gene copies per mL
- Medium: 20-100 gene copies per mL and weekly change < 100%
- Medium-high: 20-100 gene copies per mL and weekly change ≥ 100%
- High: > 100 gene copies per mL

Saskatchewan


## Estevan





## Prince Albert





## Maple Creek‡




## Weyburn‡




## La Ronge‡




**Quantitative Interpretation**:

- Non-detect: 0 gene copy per mL/gene copies < LOD (limit of detection).
- Low: < 20 gene copies per mL.
- Medium: 20-100 gene copies per mL and weekly change < 100%.
- Medium-high: 20-100 gene copies per mL and weekly change ≥ 100%.
- High: > 100 gene copies per mL.

‡Date gaps reflect weeks when no wastewater samples were received.

Low | Medium | Medium-High | High | Non-detect



Saskatchewan