RSV Surveillance Report

03/09/2025- 03/15/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	7.2%	18
Current Week	6.8%	10


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	551	42 *(7.6%)*	551	42 *(7.6%)*
2	0	0 *(0.0%)*	502	0 *(0.0%)*	502	0 *(0.0%)*
3	0	0 *(0.0%)*	143	17 *(11.9%)*	143	17 *(11.9%)*
5	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
6	0	0 *(0.0%)*	79	6 *(7.6%)*	79	6 *(7.6%)*
7	90	20 *(22.2%)*	692	43 *(6.2%)*	782	63 *(8.1%)*
9	0	0 *(0.0%)*	218	27 *(12.4%)*	218	27 *(12.4%)*

Published: 3/19/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 414 hospitalizations have occurred during the 2024-2025 season. There were 10 hospitalizations reported during 03/09/2025 - 03/15/2025. The cumulative hospitalization rate for the 2024-2025 season is 22.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	142	165.7
5-17 yrs	42	15.9
18-49 yrs	42	5.0
50-64 yrs	50	15.3
65 yrs+	138	46.2

Published: 3/19/2025



Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

22.2 % of antigen tests and 6.2 % of PCR tests were positive during 03/09/2025 - 03/15/2025 .

Published: 3/19/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 3/19/2025

RSV Surveillance Report

03/02/2025- 03/08/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	8.2%	20
Current Week	7.4%	11


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	821	42 *(5.1%)*	821	42 *(5.1%)*
2	0	0 *(0.0%)*	475	8 *(1.7%)*	475	8 *(1.7%)*
3	0	0 *(0.0%)*	144	14 *(9.7%)*	144	14 *(9.7%)*
5	0	0 *(0.0%)*	485	49 *(10.1%)*	485	49 *(10.1%)*
6	0	0 *(0.0%)*	78	11 *(14.1%)*	78	11 *(14.1%)*
7	75	11 *(14.7%)*	734	52 *(7.1%)*	809	63 *(7.8%)*
9	8	0 *(0.0%)*	292	43 *(14.7%)*	300	43 *(14.3%)*

Published: 3/12/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 397 hospitalizations have occurred during the 2024-2025 season. There were 11 hospitalizations reported during 03/02/2025 - 03/08/2025. The cumulative hospitalization rate for the 2024-2025 season is 21.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	139	162.2
5-17 yrs	42	15.9
18-49 yrs	41	4.9
50-64 yrs	49	15.0
65 yrs+	126	42.2

Published: 3/12/2025




Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

13.3 % of antigen tests and 7.2 % of PCR tests were positive during 03/02/2025 - 03/08/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 3/12/2025

RSV Surveillance Report

02/23/2025- 03/01/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.5%	34
Current Week	8.4%	15


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	505	28 *(5.5%)*	505	28 *(5.5%)*
2	0	0 *(0.0%)*	555	5 *(0.9%)*	555	5 *(0.9%)*
3	0	0 *(0.0%)*	151	16 *(10.6%)*	151	16 *(10.6%)*
5	0	0 *(0.0%)*	473	49 *(10.4%)*	473	49 *(10.4%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	85	16 *(18.8%)*	807	92 *(11.4%)*	892	108 *(12.1%)*
9	0	0 *(0.0%)*	244	31 *(12.7%)*	244	31 *(12.7%)*

Published: 3/5/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 381 hospitalizations have occurred during the 2024-2025 season. There were 15 hospitalizations reported during 02/23/2025 - 03/01/2025. The cumulative hospitalization rate for the 2024-2025 season is 21 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	137	159.8
5-17 yrs	40	15.1
18-49 yrs	37	4.4
50-64 yrs	47	14.4
65 yrs+	120	40.2



Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

18.8 % of antigen tests and 8.1 % of PCR tests were positive during 02/23/2025 - 03/01/2025 .

Published: 3/5/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 3/5/2025

RSV Surveillance Report

02/16/2025- 02/22/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.5%	43
Current Week	9.7%	31


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	2,366	217 *(9.2%)*	2,366	217 *(9.2%)*
2	0	0 *(0.0%)*	642	3 *(0.5%)*	642	3 *(0.5%)*
3	0	0 *(0.0%)*	137	17 *(12.4%)*	137	17 *(12.4%)*
5	0	0 *(0.0%)*	631	72 *(11.4%)*	631	72 *(11.4%)*
6	2	0 *(0.0%)*	116	18 *(15.5%)*	118	18 *(15.3%)*
7	126	30 *(23.8%)*	727	91 *(12.5%)*	853	121 *(14.2%)*
9	0	0 *(0.0%)*	248	39 *(15.7%)*	248	39 *(15.7%)*

Published: 2/28/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 363 hospitalizations have occurred during the 2024-2025 season. There were 31 hospitalizations reported during 02/16/2025 - 02/22/2025. The cumulative hospitalization rate for the 2024-2025 season is 20 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	130	151.7
5-17 yrs	39	14.8
18-49 yrs	34	4.1
50-64 yrs	46	14.1
65 yrs+	114	38.2



Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

23.4 % of antigen tests and 9.4 % of PCR tests were positive during 02/16/2025 - 02/22/2025 .

Published: 2/28/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 2/28/2025

RSV Surveillance Report

02/09/2025- 02/15/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.4%	37
Current Week	8.3%	35


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	2,263	209 *(9.2%)*	2,263	209 *(9.2%)*
2	0	0 *(0.0%)*	563	3 *(0.5%)*	563	3 *(0.5%)*
3	0	0 *(0.0%)*	146	20 *(13.7%)*	146	20 *(13.7%)*
5	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	115	30 *(26.1%)*	794	85 *(10.7%)*	909	115 *(12.7%)*
9	20	0 *(0.0%)*	658	32 *(4.9%)*	678	32 *(4.7%)*

Published: 2/19/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 324 hospitalizations have occurred during the 2024-2025 season. There were 35 hospitalizations reported during 02/09/2025 - 02/15/2025. The cumulative hospitalization rate for the 2024-2025 season is 17.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	120	140.0
5-17 yrs	35	13.2
18-49 yrs	26	3.1
50-64 yrs	39	11.9
65 yrs+	104	34.8



Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

22.2 % of antigen tests and 7.9 % of PCR tests were positive during 02/09/2025 - 02/15/2025 .

Published: 2/19/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 2/19/2025

RSV Surveillance Report

02/02/2025- 02/08/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.1%	36
Current Week	9.6%	25


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	1,281	111 *(8.7%)*	1,281	111 *(8.7%)*
2	0	0 *(0.0%)*	552	3 *(0.5%)*	552	3 *(0.5%)*
3	0	0 *(0.0%)*	139	20 *(14.4%)*	139	20 *(14.4%)*
5	0	0 *(0.0%)*	536	74 *(13.8%)*	536	74 *(13.8%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	144	31 *(21.5%)*	827	100 *(12.1%)*	971	131 *(13.5%)*
9	0	0 *(0.0%)*	226	16 *(7.1%)*	226	16 *(7.1%)*

Published: 2/12/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 277 hospitalizations have occurred during the 2024-2025 season. There were 25 hospitalizations reported during 02/02/2025 - 02/08/2025. The cumulative hospitalization rate for the 2024-2025 season is 15.3 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	108	126.0
5-17 yrs	31	11.7
18-49 yrs	25	3.0
50-64 yrs	33	10.1
65 yrs+	80	26.8

Published: 2/12/2025




Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

21.5 % of antigen tests and 9.1 % of PCR tests were positive during 02/02/2025 - 02/08/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 2/12/2025

RSV Surveillance Report

01/26/2025- 02/01/2025

RSV surveillance data at a glace		
	Percent Positivity	Hospitalizations
Previous Week	8.3%	25
Current Week	8.9%	26


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	1,272	97 *(7.6%)*	1,272	97 *(7.6%)*
2	0	0 *(0.0%)*	609	7 *(1.1%)*	609	7 *(1.1%)*
3	0	0 *(0.0%)*	35	8 *(22.9%)*	35	8 *(22.9%)*
5	0	0 *(0.0%)*	507	71 *(14.0%)*	507	71 *(14.0%)*
6	0	0 *(0.0%)*	87	12 *(13.8%)*	87	12 *(13.8%)*
7	125	33 *(26.4%)*	721	70 *(9.7%)*	846	103 *(12.2%)*
9	0	0 *(0.0%)*	207	18 *(8.7%)*	207	18 *(8.7%)*

Published: 2/5/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 242 hospitalizations have occurred during the 2024-2025 season. There were 26 hospitalizations reported during 01/26/2025 - 02/01/2025. The cumulative hospitalization rate for the 2024-2025 season is 13.4 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	101	117.8
5-17 yrs	29	11.0
18-49 yrs	17	2.0
50-64 yrs	26	8.0
65 yrs+	69	23.1

Published: 2/5/2025



Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

26.4 % of antigen tests and 8.2 % of PCR tests were positive during 01/26/2025 - 02/01/2025 .

Published: 2/5/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 2/5/2025

RSV Surveillance Report

01/19/2025- 01/25/2025

RSV surveillance data at a glace		
	Percent Positivity	Hospitalizations
Previous Week	6.6%	27
Current Week	7.7%	18


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	1,300	87 *(6.7%)*	1,300	87 *(6.7%)*
2	0	0 *(0.0%)*	525	8 *(1.5%)*	525	8 *(1.5%)*
3	0	0 *(0.0%)*	69	2 *(2.9%)*	69	2 *(2.9%)*
5	0	0 *(0.0%)*	421	52 *(12.4%)*	421	52 *(12.4%)*
6	0	0 *(0.0%)*	1	0 *(0.0%)*	1	0 *(0.0%)*
7	0	0 *(0.0%)*	621	66 *(10.6%)*	621	66 *(10.6%)*
9	17	1 *(5.9%)*	288	34 *(11.8%)*	305	35 *(11.5%)*

Published: 1/29/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 208 hospitalizations have occurred during the 2024-2025 season. There were 18 hospitalizations reported during 01/19/2025 - 01/25/2025. The cumulative hospitalization rate for the 2024-2025 season is 11.5 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	92	107.3
5-17 yrs	22	8.3
18-49 yrs	13	1.6
50-64 yrs	21	6.4
65 yrs+	60	20.1

Published: 1/29/2025



Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.9 % of antigen tests and 7.7 % of PCR tests were positive during 01/19/2025 - 01/25/2025 .

Published: 1/29/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 1/29/2025

RSV Surveillance Report

01/12/2025- 01/18/2025

RSV surveillance data at a glace		
	Percent Positivity	Hospitalizations
Previous Week	6.7%	24
Current Week	7.3%	20


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	1,703	164 *(9.6%)*	1,703	164 *(9.6%)*
2	0	0 *(0.0%)*	604	1 *(0.2%)*	604	1 *(0.2%)*
3	0	0 *(0.0%)*	116	1 *(0.9%)*	116	1 *(0.9%)*
5	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	102	32 *(31.4%)*	625	34 *(5.4%)*	727	66 *(9.1%)*
9	18	0 *(0.0%)*	252	16 *(6.3%)*	270	16 *(5.9%)*

Published: 1/22/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 183 hospitalizations have occurred during the 2024-2025 season. There were 20 hospitalizations reported during 01/12/2025 - 01/18/2025. The cumulative hospitalization rate for the 2024-2025 season is 10.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	80	93.3
5-17 yrs	20	7.6
18-49 yrs	12	1.4
50-64 yrs	18	5.5
65 yrs+	53	17.8




Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

26.7 % of antigen tests and 6.5 % of PCR tests were positive during 01/12/2025 - 01/18/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 1/22/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

01/05/2025- 01/11/2025

RSV surveillance data at a glace		
	Percent Positivity	Hospitalizations
Previous Week	6.6%	51
Current Week	6.7%	22


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	2,593	218 *(8.4%)*	2,593	218 *(8.4%)*
2	0	0 *(0.0%)*	641	5 *(0.8%)*	641	5 *(0.8%)*
3	0	0 *(0.0%)*	216	0 *(0.0%)*	216	0 *(0.0%)*
5	0	0 *(0.0%)*	284	11 *(3.9%)*	284	11 *(3.9%)*
6	0	0 *(0.0%)*	81	8 *(9.9%)*	81	8 *(9.9%)*
7	88	26 *(29.5%)*	733	52 *(7.1%)*	821	78 *(9.5%)*
9	0	0 *(0.0%)*	215	4 *(1.9%)*	215	4 *(1.9%)*

Published: 1/15/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 161 hospitalizations have occurred during the 2024-2025 season. There were 22 hospitalizations reported during 01/05/2025 - 01/11/2025. The cumulative hospitalization rate for the 2024-2025 season is 8.9 per 100,000 people.


2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	78	91.0
5-17 yrs	16	6.1
18-49 yrs	12	1.4
50-64 yrs	14	4.3
65 yrs+	41	13.7




Laboratory Data

Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

29.5 % of antigen tests and 6.3 % of PCR tests were positive during 01/05/2025 - 01/11/2025 .





Published: 1/15/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

12/29/2024- 01/04/2025

RSV surveillance data at a glace		
	Percent Positivity	Hospitalizations
Previous Week	3.6%	40
Current Week	6.3%	39


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	2,947	245 *(8.3%)*	2,947	245 *(8.3%)*
2	0	0 *(0.0%)*	658	4 *(0.6%)*	658	4 *(0.6%)*
3	0	0 *(0.0%)*	238	9 *(3.8%)*	238	9 *(3.8%)*
5	0	0 *(0.0%)*	358	17 *(4.7%)*	358	17 *(4.7%)*
6	0	0 *(0.0%)*	109	5 *(4.6%)*	109	5 *(4.6%)*
7	0	0 *(0.0%)*	916	58 *(6.3%)*	916	58 *(6.3%)*
9	0	0 *(0.0%)*	227	4 *(1.8%)*	227	4 *(1.8%)*

Published: 1/8/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 129 hospitalizations have occurred during the 2024-2025 season. There were 39 hospitalizations reported during 12/29/2024 - 01/04/2025. The cumulative hospitalization rate for the 2024-2025 season is 7.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	66	77.0
5-17 yrs	13	4.9
18-49 yrs	9	1.1
50-64 yrs	10	3.1
65 yrs+	31	10.4



Laboratory Data


Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 6.3 % of PCR tests were positive during 12/29/2024 - 01/04/2025 .

Published: 1/8/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 1/8/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

12/22/2024- 12/28/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	3.1%	15	0
Current Week	4.0%	24	0


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,412	92 *(6.5%)*	1,412	92 *(6.5%)*
2	0	0 *(0.0%)*	760	7 *(0.9%)*	760	7 *(0.9%)*
3	0	0 *(0.0%)*	187	0 *(0.0%)*	187	0 *(0.0%)*
5	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
6	0	0 *(0.0%)*	117	3 *(2.6%)*	117	3 *(2.6%)*
7	49	7 *(14.3%)*	852	38 *(4.5%)*	901	45 *(5.0%)*
9	12	0 *(0.0%)*	294	1 *(0.3%)*	306	1 *(0.3%)*

Published: 1/2/2025

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 74 hospitalizations have occurred during the 2024-2025 season. There were 24 hospitalizations reported during 12/22/2024 - 12/28/2024. The cumulative hospitalization rate for the 2024-2025 season is 4.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	41	47.8
5-17 yrs	9	3.4
18-49 yrs	4	0.5
50-64 yrs	5	1.5
65 yrs+	15	5.0

Published: 1/2/2025



Laboratory Data


Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

11.5 % of antigen tests and 3.9 % of PCR tests were positive during 12/22/2024 - 12/28/2024 .

Published: 1/2/2025


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 1/2/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

12/15/2024- 12/21/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	3.3%	18	0
Current Week	2.7%	9	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,172	64 *(5.5%)*	1,172	64 *(5.5%)*
2	0	0 *(0.0%)*	765	4 *(0.5%)*	765	4 *(0.5%)*
3	0	0 *(0.0%)*	281	4 *(1.4%)*	281	4 *(1.4%)*
5	0	0 *(0.0%)*	229	7 *(3.1%)*	229	7 *(3.1%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	0	0 *(0.0%)*	680	13 *(1.9%)*	680	13 *(1.9%)*
9	0	0 *(0.0%)*	363	2 *(0.6%)*	363	2 *(0.6%)*

Published: 12/26/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 44 hospitalizations have occurred during the 2024-2025 season. There were 9 hospitalizations reported during 12/15/2024 - 12/21/2024. The cumulative hospitalization rate for the 2024-2025 season is 2.4 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	23	26.8
5-17 yrs	7	2.6
18-49 yrs	1	0.1
50-64 yrs	4	1.2
65 yrs+	9	3.0

Published: 12/26/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 2.7 % of PCR tests were positive during 12/15/2024 - 12/21/2024 .

Published: 12/26/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 12/26/2024

RSV Surveillance Report

12/08/2024- 12/14/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	2.6%	3	0
Current Week	3.2%	17	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,667	94 *(5.6%)*	1,667	94 *(5.6%)*
2	0	0 *(0.0%)*	568	1 *(0.2%)*	568	1 *(0.2%)*
3	0	0 *(0.0%)*	229	2 *(0.9%)*	229	2 *(0.9%)*
5	0	0 *(0.0%)*	236	4 *(1.7%)*	236	4 *(1.7%)*
6	0	0 *(0.0%)*	47	2 *(4.3%)*	47	2 *(4.3%)*
7	0	0 *(0.0%)*	547	6 *(1.1%)*	547	6 *(1.1%)*
9	14	0 *(0.0%)*	278	7 *(2.5%)*	292	7 *(2.4%)*

Published: 12/18/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 34 hospitalizations have occurred during the 2024-2025 season. There were 17 hospitalizations reported during 12/08/2024 - 12/14/2024. The cumulative hospitalization rate for the 2024-2025 season is 1.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	17	19.8
5-17 yrs	4	1.5
18-49 yrs	1	0.1
50-64 yrs	4	1.2
65 yrs+	8	2.7

Published: 12/18/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 3.2 % of PCR tests were positive during 12/08/2024 - 12/14/2024 .

Published: 12/18/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 12/18/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

12/01/2024- 12/07/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	1.3%	2	0
Current Week	2.4%	3	0


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	714	24 *(3.4%)*	714	24 *(3.4%)*
2	0	0 *(0.0%)*	446	1 *(0.2%)*	446	1 *(0.2%)*
3	0	0 *(0.0%)*	194	5 *(2.6%)*	194	5 *(2.6%)*
5	0	0 *(0.0%)*	163	4 *(2.5%)*	163	4 *(2.5%)*
6	0	0 *(0.0%)*	51	2 *(3.9%)*	51	2 *(3.9%)*
7	57	10 *(17.5%)*	520	9 *(1.7%)*	577	19 *(3.3%)*
9	0	0 *(0.0%)*	162	1 *(0.6%)*	162	1 *(0.6%)*

Published: 12/11/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 17 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 12/01/2024 - 12/07/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	5	5.8
5-17 yrs	2	0.8
18-49 yrs	0	0.0
50-64 yrs	3	0.9
65 yrs+	7	2.3

Published: 12/11/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

17.5 % of antigen tests and 2.0 % of PCR tests were positive during 12/01/2024 - 12/07/2024 .

Published: 12/11/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 12/11/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

11/24/2024-11/30/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	0.7%	2	0
Current Week	1.3%	1	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,226	28 *(2.3%)*	1,226	28 *(2.3%)*
2	0	0 *(0.0%)*	390	4 *(1.0%)*	390	4 *(1.0%)*
3	0	0 *(0.0%)*	189	0 *(0.0%)*	189	0 *(0.0%)*
5	0	0 *(0.0%)*	170	0 *(0.0%)*	170	0 *(0.0%)*
6	0	0 *(0.0%)*	13	0 *(0.0%)*	13	0 *(0.0%)*
7	29	0 *(0.0%)*	437	1 *(0.2%)*	466	1 *(0.2%)*
9	11	0 *(0.0%)*	119	0 *(0.0%)*	130	0 *(0.0%)*

Published: 12/4/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 13 hospitalizations have occurred during the 2024-2025 season. There were 1 hospitalization reported during 11/24/2024- 11/30/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.7 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	4	4.7
5-17 yrs	1	0.4
18-49 yrs	0	0.0
50-64 yrs	2	0.6
65 yrs+	6	2.0

Published: 12/4/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 1.3 % of PCR tests were positive during 11/24/2024-11/30/2024.

Published: 12/4/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 12/4/2024

RSV Surveillance Report

11/17/2024 – 11/23/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	0.8%	3	0
Current Week	0.7%	2	0


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	335	6 *(1.8%)*	335	6 *(1.8%)*
2	0	0 *(0.0%)*	12	1 *(8.3%)*	12	1 *(8.3%)*
3	0	0 *(0.0%)*	215	1 *(0.5%)*	215	1 *(0.5%)*
5	0	0 *(0.0%)*	153	1 *(0.7%)*	153	1 *(0.7%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	62	0 *(0.0%)*	448	0 *(0.0%)*	510	0 *(0.0%)*
9	0	0 *(0.0%)*	16	0 *(0.0%)*	16	0 *(0.0%)*

Published: 11/27/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 12 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 11/17/2024 – 11/23/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.7 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	3	3.5
5-17 yrs	1	0.4
18-49 yrs	0	0.0
50-64 yrs	2	0.6
65 yrs+	6	2.0

Published: 11/27/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 0.8 % of PCR tests were positive during 11/17/2024 – 11/23/2024.

Published: 11/27/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 11/27/2024

RSV Surveillance Report

11/10/2024- 11/16/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	1%	2	0
Current Week	0.9%	3	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	955	14 *(1.5%)*	955	14 *(1.5%)*
2	0	0 *(0.0%)*	383	1 *(0.3%)*	383	1 *(0.3%)*
3	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
5	0	0 *(0.0%)*	124	0 *(0.0%)*	124	0 *(0.0%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	39	2 *(5.1%)*	409	1 *(0.2%)*	448	3 *(0.7%)*
9	0	0 *(0.0%)*	116	0 *(0.0%)*	116	0 *(0.0%)*

Published: 11/20/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 10 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 11/10/2024 - 11/16/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.6 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	2	2.3
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	2	0.6
65 yrs+	6	2.0

Published: 11/20/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.1 % of antigen tests and 0.8 % of PCR tests were positive during 11/10/2024 - 11/16/2024 .

Published: 11/20/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 11/20/2024

RSV Surveillance Report

11/03/2024- 11/09/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Current Week	0.6%	2	0
Previous Week	0.3%	0	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,074	12 *(1.1%)*	1,074	12 *(1.1%)*
2	0	0 *(0.0%)*	338	0 *(0.0%)*	338	0 *(0.0%)*
3	0	0 *(0.0%)*	205	1 *(0.5%)*	205	1 *(0.5%)*
5	0	0 *(0.0%)*	116	0 *(0.0%)*	116	0 *(0.0%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	40	0 *(0.0%)*	405	1 *(0.2%)*	445	1 *(0.2%)*
9	0	0 *(0.0%)*	94	0 *(0.0%)*	94	0 *(0.0%)*

Published: 11/13/2024

Oregon RSV Percent Positivity by Region



Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 7 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 11/03/2024 - 11/09/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.4 per 100,000 people.


Published: 11/13/2024


2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	1	0.3
65 yrs+	5	1.7

Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.6 % of PCR tests were positive during 11/03/2024 - 11/09/2024.





Published: 11/13/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

10/27/2024- 11/02/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	0.2%	0	0
Current Week	0.4%	0	0


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,017	3 *(0.3%)*	1,017	3 *(0.3%)*
2	0	0 *(0.0%)*	373	0 *(0.0%)*	373	0 *(0.0%)*
3	0	0 *(0.0%)*	86	0 *(0.0%)*	86	0 *(0.0%)*
5	0	0 *(0.0%)*	132	1 *(0.8%)*	132	1 *(0.8%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	27	0 *(0.0%)*	416	3 *(0.7%)*	443	3 *(0.7%)*
9	7	1 *(14.3%)*	125	0 *(0.0%)*	132	1 *(0.8%)*

Published: 11/6/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 5 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/27/2024 - 11/02/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.3 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	1	0.3
65 yrs+	3	1.0

Published: 11/6/2024





Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.9 % of antigen tests and 0.3 % of PCR tests were positive during 10/27/2024 - 11/02/2024 .

Published: 11/6/2024





Published: 11/6/2024

RSV Surveillance Report

10/20/2024- 10/26/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	0.2%	2	0
Current Week	0.2%	0	0


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,095	2 *(0.2%)*	1,095	2 *(0.2%)*
2	0	0 *(0.0%)*	394	0 *(0.0%)*	394	0 *(0.0%)*
3	0	0 *(0.0%)*	190	0 *(0.0%)*	190	0 *(0.0%)*
5	0	0 *(0.0%)*	145	0 *(0.0%)*	145	0 *(0.0%)*
6	0	0 *(0.0%)*	39	0 *(0.0%)*	39	0 *(0.0%)*
7	34	0 *(0.0%)*	402	3 *(0.7%)*	436	3 *(0.7%)*
9	0	0 *(0.0%)*	12	0 *(0.0%)*	12	0 *(0.0%)*

Published: 10/30/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 5 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/20/2024 - 10/26/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.3 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	1	0.3
65 yrs+	3	1.0

Published: 10/30/2024



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 10/20/2024 - 10/26/2024 .

Published: 10/30/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 10/30/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

10/13/2024- 10/19/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Previous Week	0.2%	1	0
Current Week	0.2%	1	0


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,157	4 *(0.3%)*	1,157	4 *(0.3%)*
2	0	0 *(0.0%)*	393	0 *(0.0%)*	393	0 *(0.0%)*
3	0	0 *(0.0%)*	190	0 *(0.0%)*	190	0 *(0.0%)*
5	0	0 *(0.0%)*	105	0 *(0.0%)*	105	0 *(0.0%)*
6	0	0 *(0.0%)*	44	0 *(0.0%)*	44	0 *(0.0%)*
7	30	1 *(3.3%)*	435	0 *(0.0%)*	465	1 *(0.2%)*
9	0	0 *(0.0%)*	94	0 *(0.0%)*	94	0 *(0.0%)*

Published: 10/23/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 4 hospitalizations have occurred during the 2024-2025 season. There was 1 hospitalization reported during 10/13/2024 - 10/19/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.2 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	3	1.0



Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

3.3 % of antigen tests and 0.2 % of PCR tests were positive during 10/13/2024 - 10/19/2024 .

Published: 10/23/2024


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 10/23/2024

RSV Surveillance Report

10/06/2024- 10/12/2024

RSV surveillance data at a glace			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0%	2	0
Current Week	0%	0	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 *(0.0%)*	211	0 *(0.0%)*	211	0 *(0.0%)*
2	0	0 *(0.0%)*	346	0 *(0.0%)*	346	0 *(0.0%)*
3	0	0 *(0.0%)*	99	0 *(0.0%)*	99	0 *(0.0%)*
5	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
6	0	0 *(0.0%)*	0	0 *(0.0%)*	0	0 *(0.0%)*
7	28	0 *(0.0%)*	420	0 *(0.0%)*	448	0 *(0.0%)*
9	7	1 *(14.3%)*	140	0 *(0.0%)*	147	1 *(0.7%)*

Published: 10/16/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date 2 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/06/2024 - 10/12/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3

Published: 10/16/2024




Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of 2 consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.9 % of antigen tests and 0.0 % of PCR tests were positive during 10/06/2024 - 10/12/2024 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Published: 10/16/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

RSV Surveillance Report

09/29/2024- 10/05/2024

RSV surveillance data at a glace			
	Percent Positivity	**Hospitalizations**	**Pediatric Mortality**
Current Week	0%	2	0


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	**AG Tests**	**AG Positive**	**PCR Tests**	**PCR Positive**	**Total Tests**	**Total Positive**
1	0	0 *(0.0%)*	1,024	2 *(0.2%)*	1024	2 *(0.2%)*
2	0	0 *(0.0%)*	355	0 *(0.0%)*	355	0 *(0%)*
3	0	0 *(0.0%)*	181	0 *(0.0%)*	181	0 *(0%)*
5	0	0 *(0.0%)*	69	0 *(0.0%)*	69	0 *(0%)*
6	0	0 *(0.0%)*	44	0 *(0.0%)*	44	0 *(0%)*
7	46	0 *(0.0%)*	449	0 *(0.0%)*	495	0 *(0%)*
9	2	0 *(0.0%)*	117	0 *(0.0%)*	119	0 *(0%)*

Published: 10/9/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date 2 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 09/29/2024 - 10/05/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	**n**	**Rates per 100,0000 people**
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3


Published: 10/9/2024




Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of 2 consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 09/29/2024 - 10/05/2024 .





Published: 10/9/2024