# RSV Surveillance Report

03/16/2025- 03/22/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 6.1% | 14 |
| Current Week | 7.3% | 16 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 480 | 27 *(5.6%)* | 480 | 27 *(5.6%)* |
| 2 | 0 | 0 *(0.0%)* | 424 | 1 *(0.2%)* | 424 | 1 *(0.2%)* |
| 3 | 0 | 0 *(0.0%)* | 110 | 6 *(5.5%)* | 110 | 6 *(5.5%)* |
| 5 | 0 | 0 *(0.0%)* | 430 | 57 *(13.3%)* | 430 | 57 *(13.3%)* |
| 6 | 0 | 0 *(0.0%)* | 49 | 3 *(6.1%)* | 49 | 3 *(6.1%)* |
| 7 | 71 | 7 *(9.9%)* | 669 | 36 *(5.4%)* | 740 | 43 *(5.8%)* |
| 9 | 14 | 1 *(7.1%)* | 297 | 48 *(16.2%)* | 311 | 49 *(15.8%)* |

Published: 3/26/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 434 hospitalizations have occurred during the 2024-2025 season. There were 16 hospitalizations reported during 03/16/2025 - 03/22/2025. The cumulative hospitalization rate for the 2024-2025 season is 24 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 148 | 172.7 |
| 5-17 yrs | 43 | 16.3 |
| 18-49 yrs | 44 | 5.3 |
| 50-64 yrs | 54 | 16.5 |
| 65 yrs+ | 145 | 48.6 |






## Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

9.4 % of antigen tests and 7.2 % of PCR tests were positive during 03/16/2025 - 03/22/2025 .

Published: 3/26/2025




Published: 3/26/2025

# RSV Surveillance Report

03/09/2025- 03/15/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 7.2% | 18 |
| Current Week | 6.8% | 10 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 551 | 42 *(7.6%)* | 551 | 42 *(7.6%)* |
| 2 | 0 | 0 *(0.0%)* | 502 | 0 *(0.0%)* | 502 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 143 | 17 *(11.9%)* | 143 | 17 *(11.9%)* |
| 5 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 79 | 6 *(7.6%)* | 79 | 6 *(7.6%)* |
| 7 | 90 | 20 *(22.2%)* | 692 | 43 *(6.2%)* | 782 | 63 *(8.1%)* |
| 9 | 0 | 0 *(0.0%)* | 218 | 27 *(12.4%)* | 218 | 27 *(12.4%)* |

Published: 3/19/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 414 hospitalizations have occurred during the 2024-2025 season. There were 10 hospitalizations reported during 03/09/2025 - 03/15/2025. The cumulative hospitalization rate for the 2024-2025 season is 22.9 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 142 | 165.7 |
| 5-17 yrs | 42 | 15.9 |
| 18-49 yrs | 42 | 5.0 |
| 50-64 yrs | 50 | 15.3 |
| 65 yrs+ | 138 | 46.2 |

Published: 3/19/2025




## Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

22.2 % of antigen tests and 6.2 % of PCR tests were positive during 03/09/2025 - 03/15/2025 .

Published: 3/19/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 3/19/2025

# RSV Surveillance Report

03/02/2025- 03/08/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 8.2% | 20 |
| Current Week | 7.4% | 11 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 821 | 42 *(5.1%)* | 821 | 42 *(5.1%)* |
| 2 | 0 | 0 *(0.0%)* | 475 | 8 *(1.7%)* | 475 | 8 *(1.7%)* |
| 3 | 0 | 0 *(0.0%)* | 144 | 14 *(9.7%)* | 144 | 14 *(9.7%)* |
| 5 | 0 | 0 *(0.0%)* | 485 | 49 *(10.1%)* | 485 | 49 *(10.1%)* |
| 6 | 0 | 0 *(0.0%)* | 78 | 11 *(14.1%)* | 78 | 11 *(14.1%)* |
| 7 | 75 | 11 *(14.7%)* | 734 | 52 *(7.1%)* | 809 | 63 *(7.8%)* |
| 9 | 8 | 0 *(0.0%)* | 292 | 43 *(14.7%)* | 300 | 43 *(14.3%)* |

Published: 3/12/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 397 hospitalizations have occurred during the 2024-2025 season. There were 11 hospitalizations reported during 03/02/2025 - 03/08/2025. The cumulative hospitalization rate for the 2024-2025 season is 21.9 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 139 | 162.2 |
| 5-17 yrs | 42 | 15.9 |
| 18-49 yrs | 41 | 4.9 |
| 50-64 yrs | 49 | 15.0 |
| 65 yrs+ | 126 | 42.2 |

Published: 3/12/2025





## Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

13.3 % of antigen tests and 7.2 % of PCR tests were positive during 03/02/2025 - 03/08/2025 .


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 3/12/2025

# RSV Surveillance Report

02/23/2025- 03/01/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 9.5% | 34 |
| Current Week | 8.4% | 15 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 505 | 28 *(5.5%)* | 505 | 28 *(5.5%)* |
| 2 | 0 | 0 *(0.0%)* | 555 | 5 *(0.9%)* | 555 | 5 *(0.9%)* |
| 3 | 0 | 0 *(0.0%)* | 151 | 16 *(10.6%)* | 151 | 16 *(10.6%)* |
| 5 | 0 | 0 *(0.0%)* | 473 | 49 *(10.4%)* | 473 | 49 *(10.4%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 85 | 16 *(18.8%)* | 807 | 92 *(11.4%)* | 892 | 108 *(12.1%)* |
| 9 | 0 | 0 *(0.0%)* | 244 | 31 *(12.7%)* | 244 | 31 *(12.7%)* |

Published: 3/5/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 381 hospitalizations have occurred during the 2024-2025 season. There were 15 hospitalizations reported during 02/23/2025 - 03/01/2025. The cumulative hospitalization rate for the 2024-2025 season is 21 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 137 | 159.8 |
| 5-17 yrs | 40 | 15.1 |
| 18-49 yrs | 37 | 4.4 |
| 50-64 yrs | 47 | 14.4 |
| 65 yrs+ | 120 | 40.2 |




## Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

18.8 % of antigen tests and 8.1 % of PCR tests were positive during 02/23/2025 - 03/01/2025 .

Published: 3/5/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 3/5/2025

# RSV Surveillance Report

02/16/2025- 02/22/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 9.5% | 43 |
| Current Week | 9.7% | 31 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 2,366 | 217 *(9.2%)* | 2,366 | 217 *(9.2%)* |
| 2 | 0 | 0 *(0.0%)* | 642 | 3 *(0.5%)* | 642 | 3 *(0.5%)* |
| 3 | 0 | 0 *(0.0%)* | 137 | 17 *(12.4%)* | 137 | 17 *(12.4%)* |
| 5 | 0 | 0 *(0.0%)* | 631 | 72 *(11.4%)* | 631 | 72 *(11.4%)* |
| 6 | 2 | 0 *(0.0%)* | 116 | 18 *(15.5%)* | 118 | 18 *(15.3%)* |
| 7 | 126 | 30 *(23.8%)* | 727 | 91 *(12.5%)* | 853 | 121 *(14.2%)* |
| 9 | 0 | 0 *(0.0%)* | 248 | 39 *(15.7%)* | 248 | 39 *(15.7%)* |

Published: 2/28/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 363 hospitalizations have occurred during the 2024-2025 season. There were 31 hospitalizations reported during 02/16/2025 - 02/22/2025. The cumulative hospitalization rate for the 2024-2025 season is 20 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 130 | 151.7 |
| 5-17 yrs | 39 | 14.8 |
| 18-49 yrs | 34 | 4.1 |
| 50-64 yrs | 46 | 14.1 |
| 65 yrs+ | 114 | 38.2 |




## Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

23.4 % of antigen tests and 9.4 % of PCR tests were positive during 02/16/2025 - 02/22/2025 .

Published: 2/28/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 2/28/2025

# RSV Surveillance Report

02/09/2025- 02/15/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 9.4% | 37 |
| Current Week | 8.3% | 35 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 2,263 | 209 *(9.2%)* | 2,263 | 209 *(9.2%)* |
| 2 | 0 | 0 *(0.0%)* | 563 | 3 *(0.5%)* | 563 | 3 *(0.5%)* |
| 3 | 0 | 0 *(0.0%)* | 146 | 20 *(13.7%)* | 146 | 20 *(13.7%)* |
| 5 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 115 | 30 *(26.1%)* | 794 | 85 *(10.7%)* | 909 | 115 *(12.7%)* |
| 9 | 20 | 0 *(0.0%)* | 658 | 32 *(4.9%)* | 678 | 32 *(4.7%)* |

Published: 2/19/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 324 hospitalizations have occurred during the 2024-2025 season. There were 35 hospitalizations reported during 02/09/2025 - 02/15/2025. The cumulative hospitalization rate for the 2024-2025 season is 17.9 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 120 | 140.0 |
| 5-17 yrs | 35 | 13.2 |
| 18-49 yrs | 26 | 3.1 |
| 50-64 yrs | 39 | 11.9 |
| 65 yrs+ | 104 | 34.8 |




## Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

22.2 % of antigen tests and 7.9 % of PCR tests were positive during 02/09/2025 - 02/15/2025 .

Published: 2/19/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 2/19/2025

# RSV Surveillance Report

02/02/2025- 02/08/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 9.1% | 36 |
| Current Week | 9.6% | 25 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,281 | 111 *(8.7%)* | 1,281 | 111 *(8.7%)* |
| 2 | 0 | 0 *(0.0%)* | 552 | 3 *(0.5%)* | 552 | 3 *(0.5%)* |
| 3 | 0 | 0 *(0.0%)* | 139 | 20 *(14.4%)* | 139 | 20 *(14.4%)* |
| 5 | 0 | 0 *(0.0%)* | 536 | 74 *(13.8%)* | 536 | 74 *(13.8%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 144 | 31 *(21.5%)* | 827 | 100 *(12.1%)* | 971 | 131 *(13.5%)* |
| 9 | 0 | 0 *(0.0%)* | 226 | 16 *(7.1%)* | 226 | 16 *(7.1%)* |

Published: 2/12/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 277 hospitalizations have occurred during the 2024-2025 season. There were 25 hospitalizations reported during 02/02/2025 - 02/08/2025. The cumulative hospitalization rate for the 2024-2025 season is 15.3 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 108 | 126.0 |
| 5-17 yrs | 31 | 11.7 |
| 18-49 yrs | 25 | 3.0 |
| 50-64 yrs | 33 | 10.1 |
| 65 yrs+ | 80 | 26.8 |

Published: 2/12/2025





## Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

21.5 % of antigen tests and 9.1 % of PCR tests were positive during 02/02/2025 - 02/08/2025 .


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 2/12/2025

# RSV Surveillance Report

01/26/2025- 02/01/2025

| RSV surveillance data at a glace | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 8.3% | 25 |
| Current Week | 8.9% | 26 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,272 | 97 *(7.6%)* | 1,272 | 97 *(7.6%)* |
| 2 | 0 | 0 *(0.0%)* | 609 | 7 *(1.1%)* | 609 | 7 *(1.1%)* |
| 3 | 0 | 0 *(0.0%)* | 35 | 8 *(22.9%)* | 35 | 8 *(22.9%)* |
| 5 | 0 | 0 *(0.0%)* | 507 | 71 *(14.0%)* | 507 | 71 *(14.0%)* |
| 6 | 0 | 0 *(0.0%)* | 87 | 12 *(13.8%)* | 87 | 12 *(13.8%)* |
| 7 | 125 | 33 *(26.4%)* | 721 | 70 *(9.7%)* | 846 | 103 *(12.2%)* |
| 9 | 0 | 0 *(0.0%)* | 207 | 18 *(8.7%)* | 207 | 18 *(8.7%)* |

Published: 2/5/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 242 hospitalizations have occurred during the 2024-2025 season. There were 26 hospitalizations reported during 01/26/2025 - 02/01/2025. The cumulative hospitalization rate for the 2024-2025 season is 13.4 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 101 | 117.8 |
| 5-17 yrs | 29 | 11.0 |
| 18-49 yrs | 17 | 2.0 |
| 50-64 yrs | 26 | 8.0 |
| 65 yrs+ | 69 | 23.1 |

Published: 2/5/2025




## Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

26.4 % of antigen tests and 8.2 % of PCR tests were positive during 01/26/2025 - 02/01/2025 .

Published: 2/5/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 2/5/2025

# RSV Surveillance Report

01/19/2025- 01/25/2025

| RSV surveillance data at a glace | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 6.6% | 27 |
| Current Week | 7.7% | 18 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,300 | 87 *(6.7%)* | 1,300 | 87 *(6.7%)* |
| 2 | 0 | 0 *(0.0%)* | 525 | 8 *(1.5%)* | 525 | 8 *(1.5%)* |
| 3 | 0 | 0 *(0.0%)* | 69 | 2 *(2.9%)* | 69 | 2 *(2.9%)* |
| 5 | 0 | 0 *(0.0%)* | 421 | 52 *(12.4%)* | 421 | 52 *(12.4%)* |
| 6 | 0 | 0 *(0.0%)* | 1 | 0 *(0.0%)* | 1 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 621 | 66 *(10.6%)* | 621 | 66 *(10.6%)* |
| 9 | 17 | 1 *(5.9%)* | 288 | 34 *(11.8%)* | 305 | 35 *(11.5%)* |

Published: 1/29/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 208 hospitalizations have occurred during the 2024-2025 season. There were 18 hospitalizations reported during 01/19/2025 - 01/25/2025. The cumulative hospitalization rate for the 2024-2025 season is 11.5 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 92 | 107.3 |
| 5-17 yrs | 22 | 8.3 |
| 18-49 yrs | 13 | 1.6 |
| 50-64 yrs | 21 | 6.4 |
| 65 yrs+ | 60 | 20.1 |

Published: 1/29/2025




## Laboratory Data


Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.9 % of antigen tests and 7.7 % of PCR tests were positive during 01/19/2025 - 01/25/2025 .

Published: 1/29/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 1/29/2025

# RSV Surveillance Report

01/12/2025- 01/18/2025

| RSV surveillance data at a glace | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 6.7% | 24 |
| Current Week | 7.3% | 20 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,703 | 164 *(9.6%)* | 1,703 | 164 *(9.6%)* |
| 2 | 0 | 0 *(0.0%)* | 604 | 1 *(0.2%)* | 604 | 1 *(0.2%)* |
| 3 | 0 | 0 *(0.0%)* | 116 | 1 *(0.9%)* | 116 | 1 *(0.9%)* |
| 5 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 102 | 32 *(31.4%)* | 625 | 34 *(5.4%)* | 727 | 66 *(9.1%)* |
| 9 | 18 | 0 *(0.0%)* | 252 | 16 *(6.3%)* | 270 | 16 *(5.9%)* |

Published: 1/22/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 183 hospitalizations have occurred during the 2024-2025 season. There were 20 hospitalizations reported during 01/12/2025 - 01/18/2025. The cumulative hospitalization rate for the 2024-2025 season is 10.1 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 80 | 93.3 |
| 5-17 yrs | 20 | 7.6 |
| 18-49 yrs | 12 | 1.4 |
| 50-64 yrs | 18 | 5.5 |
| 65 yrs+ | 53 | 17.8 |





## Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

26.7 % of antigen tests and 6.5 % of PCR tests were positive during 01/12/2025 - 01/18/2025 .


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 1/22/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

01/05/2025- 01/11/2025

| RSV surveillance data at a glace | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 6.6% | 51 |
| Current Week | 6.7% | 22 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 2,593 | 218 *(8.4%)* | 2,593 | 218 *(8.4%)* |
| 2 | 0 | 0 *(0.0%)* | 641 | 5 *(0.8%)* | 641 | 5 *(0.8%)* |
| 3 | 0 | 0 *(0.0%)* | 216 | 0 *(0.0%)* | 216 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 284 | 11 *(3.9%)* | 284 | 11 *(3.9%)* |
| 6 | 0 | 0 *(0.0%)* | 81 | 8 *(9.9%)* | 81 | 8 *(9.9%)* |
| 7 | 88 | 26 *(29.5%)* | 733 | 52 *(7.1%)* | 821 | 78 *(9.5%)* |
| 9 | 0 | 0 *(0.0%)* | 215 | 4 *(1.9%)* | 215 | 4 *(1.9%)* |

Published: 1/15/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 161 hospitalizations have occurred during the 2024-2025 season. There were 22 hospitalizations reported during 01/05/2025 - 01/11/2025. The cumulative hospitalization rate for the 2024-2025 season is 8.9 per 100,000 people.


| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 78 | 91.0 |
| 5-17 yrs | 16 | 6.1 |
| 18-49 yrs | 12 | 1.4 |
| 50-64 yrs | 14 | 4.3 |
| 65 yrs+ | 41 | 13.7 |





## Laboratory Data

Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

29.5 % of antigen tests and 6.3 % of PCR tests were positive during 01/05/2025 - 01/11/2025 .




Published: 1/15/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

12/29/2024- 01/04/2025

| RSV surveillance data at a glace | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 3.6% | 40 |
| Current Week | 6.3% | 39 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 2,947 | 245 *(8.3%)* | 2,947 | 245 *(8.3%)* |
| 2 | 0 | 0 *(0.0%)* | 658 | 4 *(0.6%)* | 658 | 4 *(0.6%)* |
| 3 | 0 | 0 *(0.0%)* | 238 | 9 *(3.8%)* | 238 | 9 *(3.8%)* |
| 5 | 0 | 0 *(0.0%)* | 358 | 17 *(4.7%)* | 358 | 17 *(4.7%)* |
| 6 | 0 | 0 *(0.0%)* | 109 | 5 *(4.6%)* | 109 | 5 *(4.6%)* |
| 7 | 0 | 0 *(0.0%)* | 916 | 58 *(6.3%)* | 916 | 58 *(6.3%)* |
| 9 | 0 | 0 *(0.0%)* | 227 | 4 *(1.8%)* | 227 | 4 *(1.8%)* |

Published: 1/8/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 129 hospitalizations have occurred during the 2024-2025 season. There were 39 hospitalizations reported during 12/29/2024 - 01/04/2025. The cumulative hospitalization rate for the 2024-2025 season is 7.1 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 66 | 77.0 |
| 5-17 yrs | 13 | 4.9 |
| 18-49 yrs | 9 | 1.1 |
| 50-64 yrs | 10 | 3.1 |
| 65 yrs+ | 31 | 10.4 |




## Laboratory Data


Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 6.3 % of PCR tests were positive during 12/29/2024 - 01/04/2025 .

Published: 1/8/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 1/8/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

12/22/2024- 12/28/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 3.1% | 15 | 0 |
| Current Week | 4.0% | 24 | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,412 | 92 *(6.5%)* | 1,412 | 92 *(6.5%)* |
| 2 | 0 | 0 *(0.0%)* | 760 | 7 *(0.9%)* | 760 | 7 *(0.9%)* |
| 3 | 0 | 0 *(0.0%)* | 187 | 0 *(0.0%)* | 187 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 117 | 3 *(2.6%)* | 117 | 3 *(2.6%)* |
| 7 | 49 | 7 *(14.3%)* | 852 | 38 *(4.5%)* | 901 | 45 *(5.0%)* |
| 9 | 12 | 0 *(0.0%)* | 294 | 1 *(0.3%)* | 306 | 1 *(0.3%)* |

Published: 1/2/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 74 hospitalizations have occurred during the 2024-2025 season. There were 24 hospitalizations reported during 12/22/2024 - 12/28/2024. The cumulative hospitalization rate for the 2024-2025 season is 4.1 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 41 | 47.8 |
| 5-17 yrs | 9 | 3.4 |
| 18-49 yrs | 4 | 0.5 |
| 50-64 yrs | 5 | 1.5 |
| 65 yrs+ | 15 | 5.0 |

Published: 1/2/2025




## Laboratory Data


Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

11.5 % of antigen tests and 3.9 % of PCR tests were positive during 12/22/2024 - 12/28/2024 .

Published: 1/2/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 1/2/2025

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

12/15/2024- 12/21/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 3.3% | 18 | 0 |
| Current Week | 2.7% | 9 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,172 | 64 *(5.5%)* | 1,172 | 64 *(5.5%)* |
| 2 | 0 | 0 *(0.0%)* | 765 | 4 *(0.5%)* | 765 | 4 *(0.5%)* |
| 3 | 0 | 0 *(0.0%)* | 281 | 4 *(1.4%)* | 281 | 4 *(1.4%)* |
| 5 | 0 | 0 *(0.0%)* | 229 | 7 *(3.1%)* | 229 | 7 *(3.1%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 680 | 13 *(1.9%)* | 680 | 13 *(1.9%)* |
| 9 | 0 | 0 *(0.0%)* | 363 | 2 *(0.6%)* | 363 | 2 *(0.6%)* |

Published: 12/26/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 44 hospitalizations have occurred during the 2024-2025 season. There were 9 hospitalizations reported during 12/15/2024 - 12/21/2024. The cumulative hospitalization rate for the 2024-2025 season is 2.4 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 23 | 26.8 |
| 5-17 yrs | 7 | 2.6 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 4 | 1.2 |
| 65 yrs+ | 9 | 3.0 |

Published: 12/26/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 2.7 % of PCR tests were positive during 12/15/2024 - 12/21/2024 .

Published: 12/26/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 12/26/2024

# RSV Surveillance Report

12/08/2024- 12/14/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 2.6% | 3 | 0 |
| Current Week | 3.2% | 17 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,667 | 94 *(5.6%)* | 1,667 | 94 *(5.6%)* |
| 2 | 0 | 0 *(0.0%)* | 568 | 1 *(0.2%)* | 568 | 1 *(0.2%)* |
| 3 | 0 | 0 *(0.0%)* | 229 | 2 *(0.9%)* | 229 | 2 *(0.9%)* |
| 5 | 0 | 0 *(0.0%)* | 236 | 4 *(1.7%)* | 236 | 4 *(1.7%)* |
| 6 | 0 | 0 *(0.0%)* | 47 | 2 *(4.3%)* | 47 | 2 *(4.3%)* |
| 7 | 0 | 0 *(0.0%)* | 547 | 6 *(1.1%)* | 547 | 6 *(1.1%)* |
| 9 | 14 | 0 *(0.0%)* | 278 | 7 *(2.5%)* | 292 | 7 *(2.4%)* |

Published: 12/18/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 34 hospitalizations have occurred during the 2024-2025 season. There were 17 hospitalizations reported during 12/08/2024 - 12/14/2024. The cumulative hospitalization rate for the 2024-2025 season is 1.9 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 17 | 19.8 |
| 5-17 yrs | 4 | 1.5 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 4 | 1.2 |
| 65 yrs+ | 8 | 2.7 |

Published: 12/18/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 3.2 % of PCR tests were positive during 12/08/2024 - 12/14/2024 .

Published: 12/18/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 12/18/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

12/01/2024- 12/07/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 1.3% | 2 | 0 |
| Current Week | 2.4% | 3 | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 714 | 24 *(3.4%)* | 714 | 24 *(3.4%)* |
| 2 | 0 | 0 *(0.0%)* | 446 | 1 *(0.2%)* | 446 | 1 *(0.2%)* |
| 3 | 0 | 0 *(0.0%)* | 194 | 5 *(2.6%)* | 194 | 5 *(2.6%)* |
| 5 | 0 | 0 *(0.0%)* | 163 | 4 *(2.5%)* | 163 | 4 *(2.5%)* |
| 6 | 0 | 0 *(0.0%)* | 51 | 2 *(3.9%)* | 51 | 2 *(3.9%)* |
| 7 | 57 | 10 *(17.5%)* | 520 | 9 *(1.7%)* | 577 | 19 *(3.3%)* |
| 9 | 0 | 0 *(0.0%)* | 162 | 1 *(0.6%)* | 162 | 1 *(0.6%)* |

Published: 12/11/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 17 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 12/01/2024 - 12/07/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.9 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 5 | 5.8 |
| 5-17 yrs | 2 | 0.8 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 3 | 0.9 |
| 65 yrs+ | 7 | 2.3 |

Published: 12/11/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

17.5 % of antigen tests and 2.0 % of PCR tests were positive during 12/01/2024 - 12/07/2024 .

Published: 12/11/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 12/11/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

11/24/2024-11/30/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 0.7% | 2 | 0 |
| Current Week | 1.3% | 1 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,226 | 28 *(2.3%)* | 1,226 | 28 *(2.3%)* |
| 2 | 0 | 0 *(0.0%)* | 390 | 4 *(1.0%)* | 390 | 4 *(1.0%)* |
| 3 | 0 | 0 *(0.0%)* | 189 | 0 *(0.0%)* | 189 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 170 | 0 *(0.0%)* | 170 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 13 | 0 *(0.0%)* | 13 | 0 *(0.0%)* |
| 7 | 29 | 0 *(0.0%)* | 437 | 1 *(0.2%)* | 466 | 1 *(0.2%)* |
| 9 | 11 | 0 *(0.0%)* | 119 | 0 *(0.0%)* | 130 | 0 *(0.0%)* |

Published: 12/4/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 13 hospitalizations have occurred during the 2024-2025 season. There were 1 hospitalization reported during 11/24/2024- 11/30/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.7 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 4 | 4.7 |
| 5-17 yrs | 1 | 0.4 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 2 | 0.6 |
| 65 yrs+ | 6 | 2.0 |

Published: 12/4/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 1.3 % of PCR tests were positive during 11/24/2024-11/30/2024.

Published: 12/4/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 12/4/2024

# RSV Surveillance Report

11/17/2024 – 11/23/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 0.8% | 3 | 0 |
| Current Week | 0.7% | 2 | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 335 | 6 *(1.8%)* | 335 | 6 *(1.8%)* |
| 2 | 0 | 0 *(0.0%)* | 12 | 1 *(8.3%)* | 12 | 1 *(8.3%)* |
| 3 | 0 | 0 *(0.0%)* | 215 | 1 *(0.5%)* | 215 | 1 *(0.5%)* |
| 5 | 0 | 0 *(0.0%)* | 153 | 1 *(0.7%)* | 153 | 1 *(0.7%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 62 | 0 *(0.0%)* | 448 | 0 *(0.0%)* | 510 | 0 *(0.0%)* |
| 9 | 0 | 0 *(0.0%)* | 16 | 0 *(0.0%)* | 16 | 0 *(0.0%)* |

Published: 11/27/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 12 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 11/17/2024 – 11/23/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.7 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 3 | 3.5 |
| 5-17 yrs | 1 | 0.4 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 2 | 0.6 |
| 65 yrs+ | 6 | 2.0 |

Published: 11/27/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 0.8 % of PCR tests were positive during 11/17/2024 – 11/23/2024.

Published: 11/27/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 11/27/2024

# RSV Surveillance Report

11/10/2024- 11/16/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 1% | 2 | 0 |
| Current Week | 0.9% | 3 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 955 | 14 *(1.5%)* | 955 | 14 *(1.5%)* |
| 2 | 0 | 0 *(0.0%)* | 383 | 1 *(0.3%)* | 383 | 1 *(0.3%)* |
| 3 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 124 | 0 *(0.0%)* | 124 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 39 | 2 *(5.1%)* | 409 | 1 *(0.2%)* | 448 | 3 *(0.7%)* |
| 9 | 0 | 0 *(0.0%)* | 116 | 0 *(0.0%)* | 116 | 0 *(0.0%)* |

Published: 11/20/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 10 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 11/10/2024 - 11/16/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.6 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 2 | 2.3 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 2 | 0.6 |
| 65 yrs+ | 6 | 2.0 |

Published: 11/20/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.1 % of antigen tests and 0.8 % of PCR tests were positive during 11/10/2024 - 11/16/2024 .

Published: 11/20/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 11/20/2024

# RSV Surveillance Report

11/03/2024- 11/09/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Current Week | 0.6% | 2 | 0 |
| Previous Week | 0.3% | 0 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,074 | 12 *(1.1%)* | 1,074 | 12 *(1.1%)* |
| 2 | 0 | 0 *(0.0%)* | 338 | 0 *(0.0%)* | 338 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 205 | 1 *(0.5%)* | 205 | 1 *(0.5%)* |
| 5 | 0 | 0 *(0.0%)* | 116 | 0 *(0.0%)* | 116 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 40 | 0 *(0.0%)* | 405 | 1 *(0.2%)* | 445 | 1 *(0.2%)* |
| 9 | 0 | 0 *(0.0%)* | 94 | 0 *(0.0%)* | 94 | 0 *(0.0%)* |

Published: 11/13/2024

Oregon RSV Percent Positivity by Region




Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 7 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 11/03/2024 - 11/09/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.4 per 100,000 people.


Published: 11/13/2024


| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 1 | 0.3 |
| 65 yrs+ | 5 | 1.7 |

## Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.6 % of PCR tests were positive during 11/03/2024 - 11/09/2024.




Published: 11/13/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

10/27/2024- 11/02/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 0.2% | 0 | 0 |
| Current Week | 0.4% | 0 | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,017 | 3 *(0.3%)* | 1,017 | 3 *(0.3%)* |
| 2 | 0 | 0 *(0.0%)* | 373 | 0 *(0.0%)* | 373 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 86 | 0 *(0.0%)* | 86 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 132 | 1 *(0.8%)* | 132 | 1 *(0.8%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 27 | 0 *(0.0%)* | 416 | 3 *(0.7%)* | 443 | 3 *(0.7%)* |
| 9 | 7 | 1 *(14.3%)* | 125 | 0 *(0.0%)* | 132 | 1 *(0.8%)* |

Published: 11/6/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 5 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/27/2024 - 11/02/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.3 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 1 | 0.3 |
| 65 yrs+ | 3 | 1.0 |

Published: 11/6/2024






## Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.9 % of antigen tests and 0.3 % of PCR tests were positive during 10/27/2024 - 11/02/2024 .

Published: 11/6/2024




Published: 11/6/2024

# RSV Surveillance Report

10/20/2024- 10/26/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 0.2% | 2 | 0 |
| Current Week | 0.2% | 0 | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,095 | 2 *(0.2%)* | 1,095 | 2 *(0.2%)* |
| 2 | 0 | 0 *(0.0%)* | 394 | 0 *(0.0%)* | 394 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 190 | 0 *(0.0%)* | 190 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 145 | 0 *(0.0%)* | 145 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 39 | 0 *(0.0%)* | 39 | 0 *(0.0%)* |
| 7 | 34 | 0 *(0.0%)* | 402 | 3 *(0.7%)* | 436 | 3 *(0.7%)* |
| 9 | 0 | 0 *(0.0%)* | 12 | 0 *(0.0%)* | 12 | 0 *(0.0%)* |

Published: 10/30/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 5 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/20/2024 - 10/26/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.3 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 1 | 0.3 |
| 65 yrs+ | 3 | 1.0 |

Published: 10/30/2024




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 10/20/2024 - 10/26/2024 .

Published: 10/30/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 10/30/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

10/13/2024- 10/19/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Previous Week | 0.2% | 1 | 0 |
| Current Week | 0.2% | 1 | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,157 | 4 *(0.3%)* | 1,157 | 4 *(0.3%)* |
| 2 | 0 | 0 *(0.0%)* | 393 | 0 *(0.0%)* | 393 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 190 | 0 *(0.0%)* | 190 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 105 | 0 *(0.0%)* | 105 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 44 | 0 *(0.0%)* | 44 | 0 *(0.0%)* |
| 7 | 30 | 1 *(3.3%)* | 435 | 0 *(0.0%)* | 465 | 1 *(0.2%)* |
| 9 | 0 | 0 *(0.0%)* | 94 | 0 *(0.0%)* | 94 | 0 *(0.0%)* |

Published: 10/23/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 4 hospitalizations have occurred during the 2024-2025 season. There was 1 hospitalization reported during 10/13/2024 - 10/19/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.2 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 3 | 1.0 |




## Laboratory Data


Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

3.3 % of antigen tests and 0.2 % of PCR tests were positive during 10/13/2024 - 10/19/2024 .

Published: 10/23/2024


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 10/23/2024

# RSV Surveillance Report

10/06/2024- 10/12/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | Percent Positivity | Hospitalizations | Pediatric Mortality |
| Previous Week | 0% | 2 | 0 |
| Current Week | 0% | 0 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 211 | 0 *(0.0%)* | 211 | 0 *(0.0%)* |
| 2 | 0 | 0 *(0.0%)* | 346 | 0 *(0.0%)* | 346 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 99 | 0 *(0.0%)* | 99 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 28 | 0 *(0.0%)* | 420 | 0 *(0.0%)* | 448 | 0 *(0.0%)* |
| 9 | 7 | 1 *(14.3%)* | 140 | 0 *(0.0%)* | 147 | 1 *(0.7%)* |

Published: 10/16/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date 2 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/06/2024 - 10/12/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.1 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |

Published: 10/16/2024





## Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of 2 consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.9 % of antigen tests and 0.0 % of PCR tests were positive during 10/06/2024 - 10/12/2024 .


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 10/16/2024

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

09/29/2024- 10/05/2024

| RSV surveillance data at a glace | | | |
|---|---|---|---|
| | **Percent Positivity** | **Hospitalizations** | **Pediatric Mortality** |
| Current Week | 0% | 2 | 0 |


[a]Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b]Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| **Region** | **AG Tests** | **AG Positive** | **PCR Tests** | **PCR Positive** | **Total Tests** | **Total Positive** |
| 1 | 0 | 0 *(0.0%)* | 1,024 | 2 *(0.2%)* | 1024 | 2 *(0.2%)* |
| 2 | 0 | 0 *(0.0%)* | 355 | 0 *(0.0%)* | 355 | 0 *(0%)* |
| 3 | 0 | 0 *(0.0%)* | 181 | 0 *(0.0%)* | 181 | 0 *(0%)* |
| 5 | 0 | 0 *(0.0%)* | 69 | 0 *(0.0%)* | 69 | 0 *(0%)* |
| 6 | 0 | 0 *(0.0%)* | 44 | 0 *(0.0%)* | 44 | 0 *(0%)* |
| 7 | 46 | 0 *(0.0%)* | 449 | 0 *(0.0%)* | 495 | 0 *(0%)* |
| 9 | 2 | 0 *(0.0%)* | 117 | 0 *(0.0%)* | 119 | 0 *(0%)* |

Published: 10/9/2024

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date 2 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 09/29/2024 - 10/05/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.1 per 100,000 people.

| 2024-2025 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |


Published: 10/9/2024





## Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of 2 consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 09/29/2024 - 10/05/2024 .




Published: 10/9/2024