Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

03/22/2026- 03/28/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 6.4% | 24 |
| Current Week | 8.2% | 18 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 426 | 27 *(6.3%)* | 426 | 27 *(6.3%)* |
| 2 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 61 | 5 *(8.2%)* | 61 | 5 *(8.2%)* |
| 5 | 0 | 0 *(0.0%)* | 277 | 31 *(11.2%)* | 277 | 31 *(11.2%)* |
| 6 | 0 | 0 *(0.0%)* | 41 | 4 *(9.8%)* | 41 | 4 *(9.8%)* |
| 7 | 0 | 0 *(0.0%)* | 490 | 35 *(7.1%)* | 490 | 35 *(7.1%)* |
| 9 | 0 | 0 *(0.0%)* | 157 | 17 *(10.8%)* | 157 | 17 *(10.8%)* |


Published: 4/1/2026




## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 298 hospitalizations have occurred during the 2025-2026 season. There were 18 hospitalizations reported during 03/22/2026 - 03/28/2026. The cumulative hospitalization rate for the 2025-2026 season is 16.4 per 100,000 people.


| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 97 | 113.2 |
| 5-17 yrs | 8 | 3.0 |
| 18-49 yrs | 26 | 3.1 |
| 50-64 yrs | 44 | 13.5 |
| 65 yrs+ | 123 | 41.2 |





## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0% of antigen tests and 8.2% of PCR tests were positive during 03/22/2026 - 03/28/2026 .




Published: 4/1/2026

# RSV Surveillance Report

03/15/2026- 03/21/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 6.3% | 13 |
| Current Week | 6.4% | 19 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 982 | 67 *(6.8%)* | 982 | 67 *(6.8%)* |
| 2 | 0 | 0 *(0.0%)* | 444 | 0 *(0.0%)* | 444 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 81 | 6 *(7.4%)* | 81 | 6 *(7.4%)* |
| 5 | 0 | 0 *(0.0%)* | 314 | 33 *(10.5%)* | 314 | 33 *(10.5%)* |
| 6 | 0 | 0 *(0.0%)* | 50 | 2 *(4.0%)* | 50 | 2 *(4.0%)* |
| 7 | 0 | 0 *(0.0%)* | 559 | 44 *(7.9%)* | 559 | 44 *(7.9%)* |
| 9 | 0 | 0 *(0.0%)* | 186 | 15 *(8.1%)* | 186 | 15 *(8.1%)* |


Published: 3/25/2026




## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 274 hospitalizations have occurred during the 2025-2026 season. There were 19 hospitalizations reported during 03/15/2026 - 03/21/2026. The cumulative hospitalization rate for the 2025-2026 season is 15.1 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 88 | 102.7 |
| 5-17 yrs | 6 | 2.3 |
| 18-49 yrs | 25 | 3.0 |
| 50-64 yrs | 40 | 12.2 |
| 65 yrs+ | 115 | 38.5 |






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 6.4 % of PCR tests were positive during 03/15/2026 - 03/21/2026 .

Published: 3/25/2026




Published: 3/25/2026

# RSV Surveillance Report

03/08/2026- 03/14/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 7.2% | 25 |
| Current Week | 6.4% | 10 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 525 | 46 *(8.8%)* | 525 | 46 *(8.8%)* |
| 2 | 0 | 0 *(0.0%)* | 509 | 2 *(0.4%)* | 509 | 2 *(0.4%)* |
| 3 | 138 | 3 *(2.2%)* | 218 | 7 *(3.2%)* | 356 | 10 *(2.8%)* |
| 5 | 0 | 0 *(0.0%)* | 324 | 40 *(12.3%)* | 324 | 40 *(12.3%)* |
| 6 | 0 | 0 *(0.0%)* | 43 | 3 *(7.0%)* | 43 | 3 *(7.0%)* |
| 7 | 0 | 0 *(0.0%)* | 573 | 46 *(8.0%)* | 573 | 46 *(8.0%)* |
| 9 | 0 | 0 *(0.0%)* | 122 | 11 *(9.0%)* | 122 | 11 *(9.0%)* |

Published: 3/18/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 252 hospitalizations have occurred during the 2025-2026 season. There were 10 hospitalizations reported during 03/08/2026 - 03/14/2026. The cumulative hospitalization rate for the 2025-2026 season is 13.9 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 77 | 89.8 |
| 5-17 yrs | 6 | 2.3 |
| 18-49 yrs | 23 | 2.7 |
| 50-64 yrs | 39 | 11.9 |
| 65 yrs+ | 107 | 35.8 |

Published: 3/18/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.2 % of antigen tests and 6.7 % of PCR tests were positive during 03/08/2026 - 03/14/2026 .

Published: 3/18/2026




Published: 3/18/2026

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

03/01/2026- 03/07/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 6.4% | 25 |
| Current Week | 6.7% | 20 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,174 | 85 *(7.2%)* | 1,174 | 85 *(7.2%)* |
| 2 | 0 | 0 *(0.0%)* | 504 | 1 *(0.2%)* | 504 | 1 *(0.2%)* |
| 3 | 127 | 1 *(0.8%)* | 236 | 8 *(3.4%)* | 363 | 9 *(2.5%)* |
| 5 | 0 | 0 *(0.0%)* | 326 | 46 *(14.1%)* | 326 | 46 *(14.1%)* |
| 6 | 0 | 0 *(0.0%)* | 65 | 3 *(4.6%)* | 65 | 3 *(4.6%)* |
| 7 | 0 | 0 *(0.0%)* | 637 | 47 *(7.4%)* | 637 | 47 *(7.4%)* |
| 9 | 0 | 0 *(0.0%)* | 176 | 26 *(14.8%)* | 176 | 26 *(14.8%)* |

Published: 3/11/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 238 hospitalizations have occurred during the 2025-2026 season. There were 20 hospitalizations reported during 03/01/2026 - 03/07/2026. The cumulative hospitalization rate for the 2025-2026 season is 13.1 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 75 | 87.5 |
| 5-17 yrs | 6 | 2.3 |
| 18-49 yrs | 23 | 2.7 |
| 50-64 yrs | 36 | 11.0 |
| 65 yrs+ | 98 | 32.8 |

Published: 3/11/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.8 % of antigen tests and 6.9 % of PCR tests were positive during 03/01/2026 - 03/07/2026 .

Published: 3/11/2026




Published: 3/11/2026

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

02/22/2026- 02/28/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 6.2% | 34 |
| Current Week | 5.7% | 20 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,096 | 73 *(6.7%)* | 1,096 | 73 *(6.7%)* |
| 2 | 0 | 0 *(0.0%)* | 537 | 0 *(0.0%)* | 537 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 106 | 5 *(4.7%)* | 106 | 5 *(4.7%)* |
| 5 | 0 | 0 *(0.0%)* | 321 | 27 *(8.4%)* | 321 | 27 *(8.4%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 624 | 41 *(6.6%)* | 624 | 41 *(6.6%)* |
| 9 | 0 | 0 *(0.0%)* | 167 | 17 *(10.2%)* | 167 | 17 *(10.2%)* |

Published: 3/4/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 213 hospitalizations have occurred during the 2025-2026 season. There were 20 hospitalizations reported during 02/22/2026 - 02/28/2026. The cumulative hospitalization rate for the 2025-2026 season is 11.8 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 67 | 78.2 |
| 5-17 yrs | 6 | 2.3 |
| 18-49 yrs | 21 | 2.5 |
| 50-64 yrs | 30 | 9.2 |
| 65 yrs+ | 89 | 29.8 |

Published: 3/4/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 5.7 % of PCR tests were positive during 02/22/2026 - 02/28/2026 .

Published: 3/4/2026




Published: 3/4/2026

# RSV Surveillance Report

02/15/2026- 02/21/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 5.7% | 30 |
| Current Week | 5.8% | 32 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 612 | 53 *(8.7%)* | 612 | 53 *(8.7%)* |
| 2 | 12 | 2 *(16.7%)* | 573 | 1 *(0.2%)* | 585 | 3 *(0.5%)* |
| 3 | 128 | 4 *(3.1%)* | 267 | 14 *(5.2%)* | 395 | 18 *(4.6%)* |
| 5 | 0 | 0 *(0.0%)* | 442 | 30 *(6.8%)* | 442 | 30 *(6.8%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 761 | 37 *(4.9%)* | 761 | 37 *(4.9%)* |
| 9 | 16 | 1 *(6.2%)* | 275 | 38 *(13.8%)* | 291 | 39 *(13.4%)* |

Published: 2/25/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 191 hospitalizations have occurred during the 2025-2026 season. There were 32 hospitalizations reported during 02/15/2026 - 02/21/2026. The cumulative hospitalization rate for the 2025-2026 season is 10.5 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 62 | 72.3 |
| 5-17 yrs | 4 | 1.5 |
| 18-49 yrs | 17 | 2.0 |
| 50-64 yrs | 27 | 8.3 |
| 65 yrs+ | 81 | 27.1 |

Published: 2/25/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

4.5 % of antigen tests and 5.9 % of PCR tests were positive during 02/15/2026 - 02/21/2026 .

Published: 2/25/2026




Published: 2/25/2026

# RSV Surveillance Report

02/08/2026- 02/14/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 5.0% | 30 |
| Current Week | 5.5% | 23 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,678 | 119 *(7.1%)* | 1,678 | 119 *(7.1%)* |
| 2 | 13 | 2 *(15.4%)* | 596 | 1 *(0.2%)* | 609 | 3 *(0.5%)* |
| 3 | 0 | 0 *(0.0%)* | 139 | 6 *(4.3%)* | 139 | 6 *(4.3%)* |
| 5 | 0 | 0 *(0.0%)* | 518 | 33 *(6.4%)* | 518 | 33 *(6.4%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 841 | 44 *(5.2%)* | 841 | 44 *(5.2%)* |
| 9 | 0 | 0 *(0.0%)* | 148 | 11 *(7.4%)* | 148 | 11 *(7.4%)* |

Published: 2/18/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 151 hospitalizations have occurred during the 2025-2026 season. There were 23 hospitalizations reported during 02/08/2026 - 02/14/2026. The cumulative hospitalization rate for the 2025-2026 season is 8.3 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 51 | 59.5 |
| 5-17 yrs | 4 | 1.5 |
| 18-49 yrs | 11 | 1.3 |
| 50-64 yrs | 22 | 6.7 |
| 65 yrs+ | 63 | 21.1 |

Published: 2/18/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

15.4 % of antigen tests and 5.5 % of PCR tests were positive during 02/08/2026 - 02/14/2026 .

Published: 2/18/2026




Published: 2/18/2026

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

02/01/2026- 02/07/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 3.5% | 20 |
| Current Week | 4.9% | 25 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,904 | 140 *(7.4%)* | 1,904 | 140 *(7.4%)* |
| 2 | 0 | 0 *(0.0%)* | 677 | 1 *(0.1%)* | 677 | 1 *(0.1%)* |
| 3 | 202 | 5 *(2.5%)* | 344 | 9 *(2.6%)* | 546 | 14 *(2.6%)* |
| 5 | 0 | 0 *(0.0%)* | 530 | 22 *(4.2%)* | 530 | 22 *(4.2%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 812 | 40 *(4.9%)* | 812 | 40 *(4.9%)* |
| 9 | 11 | 0 *(0.0%)* | 201 | 12 *(6.0%)* | 212 | 12 *(5.7%)* |

Published: 2/11/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 123 hospitalizations have occurred during the 2025-2026 season. There were 25 hospitalizations reported during 02/01/2026 - 02/07/2026. The cumulative hospitalization rate for the 2025-2026 season is 6.8 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 43 | 50.2 |
| 5-17 yrs | 2 | 0.8 |
| 18-49 yrs | 8 | 1.0 |
| 50-64 yrs | 18 | 5.5 |
| 65 yrs+ | 52 | 17.4 |

Published: 2/11/2026




## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.3 % of antigen tests and 5 % of PCR tests were positive during 02/01/2026 - 02/07/2026 .

Published: 2/11/2026

# RSV Surveillance Report

01/25/2026- 01/31/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 3.3% | 22 |
| Current Week | 3.3% | 12 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 2,508 | 123 *(4.9%)* | 2,508 | 123 *(4.9%)* |
| 2 | 0 | 0 *(0.0%)* | 576 | 0 *(0.0%)* | 576 | 0 *(0.0%)* |
| 3 | 185 | 4 *(2.2%)* | 305 | 5 *(1.6%)* | 490 | 9 *(1.8%)* |
| 5 | 0 | 0 *(0.0%)* | 473 | 9 *(1.9%)* | 473 | 9 *(1.9%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 710 | 19 *(2.7%)* | 710 | 19 *(2.7%)* |
| 9 | 0 | 0 *(0.0%)* | 171 | 3 *(1.8%)* | 171 | 3 *(1.8%)* |

Published: 2/4/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 90 hospitalizations have occurred during the 2025-2026 season. There were 12 hospitalizations reported during 01/25/2026 - 01/31/2026. The cumulative hospitalization rate for the 2025-2026 season is 5 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 29 | 33.8 |
| 5-17 yrs | 1 | 0.4 |
| 18-49 yrs | 7 | 0.8 |
| 50-64 yrs | 13 | 4.0 |
| 65 yrs+ | 40 | 13.4 |

Published: 2/4/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.2 % of antigen tests and 3.4 % of PCR tests were positive during 01/25/2026 - 01/31/2026 .

Published: 2/4/2026




Published: 2/4/2026

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

01/18/2026- 01/24/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 3.9% | 14 |
| Current Week | 3.6% | 20 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,023 | 62 *(6.1%)* | 1,023 | 62 *(6.1%)* |
| 2 | 0 | 0 *(0.0%)* | 474 | 0 *(0.0%)* | 474 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 95 | 2 *(2.1%)* | 95 | 2 *(2.1%)* |
| 5 | 0 | 0 *(0.0%)* | 461 | 14 *(3.0%)* | 461 | 14 *(3.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 655 | 22 *(3.4%)* | 655 | 22 *(3.4%)* |
| 9 | 0 | 0 *(0.0%)* | 128 | 2 *(1.6%)* | 128 | 2 *(1.6%)* |


Published: 1/28/2026




## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 76 hospitalizations have occurred during the 2025-2026 season. There were 20 hospitalizations reported during 01/18/2026 - 01/24/2026. The cumulative hospitalization rate for the 2025-2026 season is 4.2 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 25 | 29.2 |
| 5-17 yrs | 1 | 0.4 |
| 18-49 yrs | 5 | 0.6 |
| 50-64 yrs | 10 | 3.1 |
| 65 yrs+ | 35 | 11.7 |






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 3.6 % of PCR tests were positive during 01/18/2026 - 01/24/2026 .

Published: 1/28/2026




Published: 1/28/2026

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

01/11/2026- 01/17/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 3.1% | 7 |
| Current Week | 3.3% | 11 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 471 | 23 *(4.9%)* | 471 | 23 *(4.9%)* |
| 2 | 0 | 0 *(0.0%)* | 417 | 1 *(0.2%)* | 417 | 1 *(0.2%)* |
| 3 | 111 | 5 *(4.5%)* | 215 | 5 *(2.3%)* | 326 | 10 *(3.1%)* |
| 5 | 0 | 0 *(0.0%)* | 266 | 8 *(3.0%)* | 266 | 8 *(3.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 605 | 29 *(4.8%)* | 605 | 29 *(4.8%)* |
| 9 | 0 | 0 *(0.0%)* | 135 | 3 *(2.2%)* | 135 | 3 *(2.2%)* |

Published: 1/21/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 53 hospitalizations have occurred during the 2025-2026 season. There were 11 hospitalizations reported during 01/11/2026 - 01/17/2026. The cumulative hospitalization rate for the 2025-2026 season is 2.9 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 14 | 16.3 |
| 5-17 yrs | 1 | 0.4 |
| 18-49 yrs | 3 | 0.4 |
| 50-64 yrs | 8 | 2.4 |
| 65 yrs+ | 27 | 9.0 |

Published: 1/21/2026






## Laboratory Data

Oregon met criteria for RSV season onset on January 10, 2026. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

4.5 % of antigen tests and 3.3 % of PCR tests were positive during 01/11/2026 - 01/17/2026 .

Published: 1/21/2026




Published: 1/21/2026

# RSV Surveillance Report

01/04/2026- 01/10/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 2.8% | 8 |
| Current Week | 3.2% | 7 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,721 | 70 *(4.1%)* | 1,721 | 70 *(4.1%)* |
| 2 | 0 | 0 *(0.0%)* | 446 | 1 *(0.2%)* | 446 | 1 *(0.2%)* |
| 3 | 92 | 1 *(1.1%)* | 92 | 1 *(1.1%)* | 184 | 2 *(1.1%)* |
| 5 | 0 | 0 *(0.0%)* | 295 | 8 *(2.7%)* | 295 | 8 *(2.7%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 621 | 24 *(3.9%)* | 621 | 24 *(3.9%)* |
| 9 | 0 | 0 *(0.0%)* | 34 | 0 *(0.0%)* | 34 | 0 *(0.0%)* |

Published: 1/14/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 42 hospitalizations have occurred during the 2025-2026 season. There were 7 hospitalizations reported during 01/04/2026 - 01/10/2026. The cumulative hospitalization rate for the 2025-2026 season is 2.3 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 11 | 12.8 |
| 5-17 yrs | 1 | 0.4 |
| 18-49 yrs | 2 | 0.2 |
| 50-64 yrs | 5 | 1.5 |
| 65 yrs+ | 23 | 7.7 |


Published: 1/14/2026





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

1.1 % of antigen tests and 3.2 % of PCR tests were positive during 01/04/2026 - 01/10/2026 .




Published: 1/14/2026

Public Health Division

Acute and Communicable Disease Prevention

OREGON HEALTH AUTHORITY

# RSV Surveillance Report

12/28/2025- 01/03/2026


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 2.8% | 3 |
| Current Week | 2.4% | 6 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,825 | 56 *(3.1%)* | 1,825 | 56 *(3.1%)* |
| 2 | 0 | 0 *(0.0%)* | 445 | 0 *(0.0%)* | 445 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 91 | 2 *(2.2%)* | 91 | 2 *(2.2%)* |
| 5 | 0 | 0 *(0.0%)* | 258 | 5 *(1.9%)* | 258 | 5 *(1.9%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 34 | 2 *(5.9%)* | 34 | 2 *(5.9%)* |
| 9 | 6 | 0 *(0.0%)* | 154 | 2 *(1.3%)* | 160 | 2 *(1.2%)* |

Published: 1/7/2026





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 33 hospitalizations have occurred during the 2025-2026 season. There were 6 hospitalizations reported during 12/28/2025 - 01/03/2026. The cumulative hospitalization rate for the 2025-2026 season is 1.8 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 10 | 11.7 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 2 | 0.2 |
| 50-64 yrs | 4 | 1.2 |
| 65 yrs+ | 17 | 5.7 |

Published: 1/7/2026






## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 2.4 % of PCR tests were positive during 12/28/2025 - 01/03/2026 .

Published: 1/7/2026




Published: 1/7/2026

# RSV Surveillance Report

12/21/2025- 12/27/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 2.4% | 5 |
| Current Week | 3.0% | 3 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 415 | 11 *(2.7%)* | 415 | 11 *(2.7%)* |
| 2 | 0 | 0 *(0.0%)* | 410 | 1 *(0.2%)* | 410 | 1 *(0.2%)* |
| 3 | 88 | 5 *(5.7%)* | 172 | 6 *(3.5%)* | 260 | 11 *(4.2%)* |
| 5 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 550 | 28 *(5.1%)* | 550 | 28 *(5.1%)* |
| 9 | 5 | 0 *(0.0%)* | 191 | 4 *(2.1%)* | 196 | 4 *(2.0%)* |


Published: 12/31/2025




## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 27 hospitalizations have occurred during the 2025-2026 season. There were 3 hospitalizations reported during 12/21/2025 - 12/27/2025. The cumulative hospitalization rate for the 2025-2026 season is 1.5 per 100,000 people.


| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 9 | 10.5 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 3 | 0.9 |
| 65 yrs+ | 14 | 4.7 |





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.4 % of antigen tests and 2.9 % of PCR tests were positive during 12/21/2025 - 12/27/2025.




Published: 12/31/2025

# RSV Surveillance Report

12/14/2025- 12/20/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 2.1% | 5 |
| Current Week | 2.0% | 5 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,386 | 32 *(2.3%)* | 1,386 | 32 *(2.3%)* |
| 2 | 0 | 0 *(0.0%)* | 316 | 0 *(0.0%)* | 316 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 57 | 0 *(0.0%)* | 57 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 281 | 5 *(1.8%)* | 281 | 5 *(1.8%)* |
| 6 | 0 | 0 *(0.0%)* | 58 | 1 *(1.7%)* | 58 | 1 *(1.7%)* |
| 7 | 0 | 0 *(0.0%)* | 522 | 18 *(3.4%)* | 522 | 18 *(3.4%)* |
| 9 | 0 | 0 *(0.0%)* | 171 | 1 *(0.6%)* | 171 | 1 *(0.6%)* |

Published: 12/24/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 24 hospitalizations have occurred during the 2025-2026 season. There were 5 hospitalizations reported during 12/14/2025 - 12/20/2025. The cumulative hospitalization rate for the 2025-2026 season is 1.3 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 9 | 10.5 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 3 | 0.9 |
| 65 yrs+ | 11 | 3.7 |


Published: 12/24/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 2 % of PCR tests were positive during 12/14/2025 - 12/20/2025 .




Published: 12/24/2025

# RSV Surveillance Report

12/07/2025- 12/13/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 0.8% | 3 |
| Current Week | 2.1% | 4 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 779 | 17 *(2.2%)* | 779 | 17 *(2.2%)* |
| 2 | 9 | 1 *(11.1%)* | 322 | 0 *(0.0%)* | 331 | 1 *(0.3%)* |
| 3 | 101 | 1 *(1.0%)* | 165 | 2 *(1.2%)* | 266 | 3 *(1.1%)* |
| 5 | 0 | 0 *(0.0%)* | 222 | 3 *(1.4%)* | 222 | 3 *(1.4%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 438 | 21 *(4.8%)* | 438 | 21 *(4.8%)* |
| 9 | 0 | 0 *(0.0%)* | 178 | 2 *(1.1%)* | 178 | 2 *(1.1%)* |

Published: 12/17/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 18 hospitalizations have occurred during the 2025-2026 season. There were 4 hospitalizations reported during 12/07/2025 - 12/13/2025. The cumulative hospitalization rate for the 2025-2026 season is 1 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 8 | 9.3 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 3 | 0.9 |
| 65 yrs+ | 6 | 2.0 |


Published: 12/17/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

1.8 % of antigen tests and 2.1 % of PCR tests were positive during 12/07/2025 - 12/13/2025 .




Published: 12/17/2025

# RSV Surveillance Report

11/30/2025- 12/06/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity[a] | Hospitalizations[b] |
| Previous Week | 1.2% | 2 |
| Current Week | 0.9% | 2 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 1,178 | 12 *(1.0%)* | 1,178 | 12 *(1.0%)* |
| 2 | 0 | 0 *(0.0%)* | 316 | 0 *(0.0%)* | 316 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 76 | 0 *(0.0%)* | 76 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 178 | 0 *(0.0%)* | 178 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 46 | 0 *(0.0%)* | 46 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 359 | 8 *(2.2%)* | 359 | 8 *(2.2%)* |
| 9 | 6 | 0 *(0.0%)* | 247 | 1 *(0.4%)* | 253 | 1 *(0.4%)* |

Published: 12/11/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 13 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/30/2025 - 12/06/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.7 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 8 | 9.3 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 2 | 0.6 |
| 65 yrs+ | 2 | 0.7 |

Published: 12/11/2025






## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 0.9 % of PCR tests were positive during 11/30/2025 - 12/06/2025 .

Published: 12/11/2025




Published: 12/11/2025

# RSV Surveillance Report

11/23/2025- 11/29/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.8% | 1 |
| Current Week | 1.5% | 2 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 512 | 10 *(2.0%)* | 512 | 10 *(2.0%)* |
| 2 | 0 | 0 *(0.0%)* | 327 | 0 *(0.0%)* | 327 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 79 | 0 *(0.0%)* | 79 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 197 | 0 *(0.0%)* | 197 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 27 | 0 *(0.0%)* | 27 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 401 | 15 *(3.7%)* | 401 | 15 *(3.7%)* |
| 9 | 0 | 0 *(0.0%)* | 168 | 0 *(0.0%)* | 168 | 0 *(0.0%)* |

Published: 12/3/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 11 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/23/2025 - 11/29/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.6 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 8 | 9.3 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 1 | 0.3 |
| 65 yrs+ | 1 | 0.3 |


Published: 12/3/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 1.5 % of PCR tests were positive during 11/23/2025 - 11/29/2025 .




Published: 12/3/2025

# RSV Surveillance Report

11/16/2025- 11/22/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.7% | 2 |
| Current Week | 0.8% | 0 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 858 | 10 *(1.2%)* | 858 | 10 *(1.2%)* |
| 2 | 0 | 0 *(0.0%)* | 361 | 0 *(0.0%)* | 361 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 79 | 0 *(0.0%)* | 79 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 175 | 1 *(0.6%)* | 175 | 1 *(0.6%)* |
| 6 | 0 | 0 *(0.0%)* | 40 | 0 *(0.0%)* | 40 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 376 | 5 *(1.3%)* | 376 | 5 *(1.3%)* |
| 9 | 0 | 0 *(0.0%)* | 159 | 0 *(0.0%)* | 159 | 0 *(0.0%)* |

Published: 11/26/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 8 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 11/16/2025 - 11/22/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.4 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 6 | 7.0 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |

Published: 11/26/2025




## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0% of antigen tests and 0.8 % of PCR tests were positive during 11/16/2025 - 11/22/2025.

# RSV Surveillance Report

11/09/2025- 11/15/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.4% | 2 |
| Current Week | 0.8% | 1 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only


| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 690 | 10 *(1.4%)* | 690 | 10 *(1.4%)* |
| 2 | 0 | 0 *(0.0%)* | 313 | 0 *(0.0%)* | 313 | 0 *(0.0%)* |
| 3 | 0 | 0 *(0.0%)* | 87 | 0 *(0.0%)* | 87 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 187 | 0 *(0.0%)* | 187 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 52 | 1 *(1.9%)* | 52 | 1 *(1.9%)* |
| 7 | 0 | 0 *(0.0%)* | 376 | 3 *(0.8%)* | 376 | 3 *(0.8%)* |
| 9 | 0 | 0 *(0.0%)* | 130 | 0 *(0.0%)* | 130 | 0 *(0.0%)* |

Published: 11/19/2025




Published: 11/26/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 7 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 11/09/2025 - 11/15/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.4 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 5 | 5.8 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 1 | 0.1 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |


Published: 11/19/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.8 % of PCR tests were positive during 11/09/2025 - 11/15/2025 .




Published: 11/19/2025

# RSV Surveillance Report

11/02/2025- 11/08/2025


| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.1% | 1 |
| Current Week | 0.4% | 2 |

[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 546 | 6 *(1.1%)* | 546 | 6 *(1.1%)* |
| 2 | 6 | 0 *(0.0%)* | 338 | 0 *(0.0%)* | 344 | 0 *(0.0%)* |
| 3 | 97 | 0 *(0.0%)* | 167 | 0 *(0.0%)* | 264 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 190 | 0 *(0.0%)* | 190 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 325 | 1 *(0.3%)* | 325 | 1 *(0.3%)* |
| 9 | 0 | 0 *(0.0%)* | 135 | 1 *(0.7%)* | 135 | 1 *(0.7%)* |

Published: 11/12/2025





## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 6 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/02/2025 - 11/08/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.3 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 5 | 5.8 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |


Published: 11/12/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.5 % of PCR tests were positive during 11/02/2025 - 11/08/2025 .




Published: 11/12/2025

# RSV Surveillance Report

10/26/2025- 11/01/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.2% | 1 |
| Current Week | 0.1% | 1 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 360 | 1 *(0.3%)* | 360 | 1 *(0.3%)* |
| 2 | 3 | 0 *(0.0%)* | 301 | 0 *(0.0%)* | 304 | 0 *(0.0%)* |
| 3 | 82 | 0 *(0.0%)* | 82 | 0 *(0.0%)* | 164 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 156 | 0 *(0.0%)* | 156 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 31 | 0 *(0.0%)* | 31 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 315 | 0 *(0.0%)* | 315 | 0 *(0.0%)* |
| 9 | 1 | 0 *(0.0%)* | 118 | 0 *(0.0%)* | 119 | 0 *(0.0%)* |

Published: 11/5/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 4 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/26/2025 - 11/01/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.2 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 3 | 3.5 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |

Published: 11/5/2025






## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.1 % of PCR tests were positive during 10/26/2025 - 11/01/2025 .

Published: 11/5/2025




Published: 11/5/2025

# RSV Surveillance Report

10/19/2025- 10/25/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.3% | 1 |
| Current Week | 0.2% | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 549 | 2 *(0.4%)* | 549 | 2 *(0.4%)* |
| 2 | 0 | 0 *(0.0%)* | 347 | 0 *(0.0%)* | 347 | 0 *(0.0%)* |
| 3 | 81 | 0 *(0.0%)* | 146 | 0 *(0.0%)* | 227 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 145 | 0 *(0.0%)* | 145 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 365 | 1 *(0.3%)* | 365 | 1 *(0.3%)* |
| 9 | 10 | 0 *(0.0%)* | 144 | 1 *(0.7%)* | 154 | 1 *(0.6%)* |

Published: 10/29/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 2 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 10/19/2025 - 10/25/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |

Published: 10/29/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 10/19/2025 - 10/25/2025 .


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 10/29/2025

# RSV Surveillance Report

10/12/2025- 10/18/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.1% | 1 |
| Current Week | 0.4% | 1 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 93 | 1 *(1.1%)* | 531 | 3 *(0.6%)* | 624 | 4 *(0.6%)* |
| 2 | 0 | 0 *(0.0%)* | 368 | 1 *(0.3%)* | 368 | 1 *(0.3%)* |
| 3 | 85 | 0 *(0.0%)* | 143 | 0 *(0.0%)* | 228 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 183 | 0 *(0.0%)* | 183 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* | 0 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 390 | 2 *(0.5%)* | 390 | 2 *(0.5%)* |
| 9 | 2 | 0 *(0.0%)* | 132 | 0 *(0.0%)* | 134 | 0 *(0.0%)* |

Published: 10/22/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 2 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/12/2025 - 10/18/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 1 | 1.2 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |


Published: 10/22/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.6 % of antigen tests and 0.3 % of PCR tests were positive during 10/12/2025 - 10/18/2025 .




Published: 10/22/2025

# RSV Surveillance Report

10/05/2025- 10/11/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.2% | 0 |
| Current Week | 0.1% | 1 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 499 | 1 *(0.2%)* | 499 | 1 *(0.2%)* |
| 2 | 0 | 0 *(0.0%)* | 351 | 0 *(0.0%)* | 351 | 0 *(0.0%)* |
| 3 | 91 | 0 *(0.0%)* | 162 | 0 *(0.0%)* | 253 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 147 | 0 *(0.0%)* | 147 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 37 | 0 *(0.0%)* | 37 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 378 | 0 *(0.0%)* | 378 | 0 *(0.0%)* |
| 9 | 0 | 0 *(0.0%)* | 112 | 0 *(0.0%)* | 112 | 0 *(0.0%)* |

Published: 10/15/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 1 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/05/2025 - 10/11/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 0 | 0.0 |
| 5-17 yrs | 0 | 0.0 |
| 18-49 yrs | 0 | 0.0 |
| 50-64 yrs | 0 | 0.0 |
| 65 yrs+ | 1 | 0.3 |


Published: 10/15/2025





## Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.1 % of PCR tests were positive during 10/05/2025 - 10/11/2025.




Published: 10/15/2025

# RSV Surveillance Report

09/28/2025- 10/04/2025

| RSV surveillance data at a glance | | |
|---|---|---|
| | Percent Positivity | Hospitalizations |
| Previous Week | 0.1% | 0 |
| Current Week | 0.2% | 0 |


[a] Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

[b] Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

| RSV Test Results in Oregon, NREVSS, Current Week | | | | | | |
|---|---|---|---|---|---|---|
| Region | AG Tests | AG Positive | PCR Tests | PCR Positive | Total Tests | Total Positive |
| 1 | 0 | 0 *(0.0%)* | 468 | 2 *(0.4%)* | 468 | 2 *(0.4%)* |
| 2 | 0 | 0 *(0.0%)* | 364 | 0 *(0.0%)* | 364 | 0 *(0.0%)* |
| 3 | 89 | 0 *(0.0%)* | 182 | 0 *(0.0%)* | 271 | 0 *(0.0%)* |
| 5 | 0 | 0 *(0.0%)* | 111 | 0 *(0.0%)* | 111 | 0 *(0.0%)* |
| 6 | 0 | 0 *(0.0%)* | 40 | 0 *(0.0%)* | 40 | 0 *(0.0%)* |
| 7 | 0 | 0 *(0.0%)* | 387 | 0 *(0.0%)* | 387 | 0 *(0.0%)* |
| 9 | 0 | 0 *(0.0%)* | 100 | 2 *(2.0%)* | 100 | 2 *(2.0%)* |

Published: 10/8/2025

Oregon RSV Percent Positivity by Region





Regions with insufficent data are displayed as grey

## RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 0 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 09/28/2025 - 10/04/2025. The cumulative hospitalization rate for the 2025-2026 season is 0 per 100,000 people.

| 2025-2026 RSV-Associated Hospitalizations | | |
|---|---|---|
| **Age Group (years)** | **n** | **Rates per 100,0000 people** |
| < 5 yrs | 0 | 0 |
| 5-17 yrs | 0 | 0 |
| 18-49 yrs | 0 | 0 |
| 50-64 yrs | 0 | 0 |
| 65 yrs+ | 0 | 0 |




## Laboratory Data


As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is ≥10% or the mean percentage of specimens testing positive for RSV by PCR is ≥3%, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 09/28/2025 - 10/04/2025 .

Published: 10/8/2025


## Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




## Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season




Published: 10/8/2025