The table below includes weighted estimates of variant proportions by state/jurisdiction collected over the **four weeks ending 3/19/2022**.
This analysis represents a different collection period and length of time, four weeks, compared to the weighted estimates shown above at the national and regional level which are calculated by week.

State/Jurisdiction	Total Sequences	B.1.1.529 (Omicron)	BA.2 (Omicron)	B.1.617.2 (Delta)	B.1.1.7 (Alpha)	Other
Alabama	151	88.17% (75.7-95.6%)	11.36%† (4.3-23.1%)	0.47%† (0.0-3.3%)	0.00%† (NA)	0.00%† (NA)
Alaska	506	48.88% (44.4-53.3%)	51.12% (46.7-55.6%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
American Samoa	0					
Arizona	1,316	84.15% (82.1-86.1%)	15.62% (13.7-17.7%)	0.23%† (0.0-1.1%)	0.00%† (NA)	0.00%† (NA)
Arkansas	69	92.68% (83.8-97.6%)	7.32%† (2.4-16.2%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
California	8,004	80.92% (75.9-85.3%)	19.00% (14.6-24.0%)	0.07%† (0.0-0.2%)	0.00%† (NA)	0.00%† (NA)
Colorado	2,639	85.29% (83.9-86.6%)	14.64% (13.3-16.0%)	0.07%† (0.0-0.3%)	0.00%† (NA)	0.00%† (NA)
Commonwealth of the Northern Mariana Islands	0					
Connecticut	1,296	71.40%† (35.5-94.2%)	28.60%† (5.8-64.5%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
Delaware	146	80.79% (66.9-90.7%)	18.57%† (8.2-33.8%)	0.64%† (0.0-4.4%)	0.00%† (NA)	0.00%† (NA)
District of Columbia	287	60.54% (51.5-69.1%)	39.46% (30.9-48.5%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
Federated States of Micronesia	0					
Florida	3,994	78.80% (75.6-81.8%)	21.14% (18.1-24.4%)	0.03%† (0.0-0.1%)	0.00%† (NA)	0.03%† (0.0-0.1%)
Georgia	1,212	84.29% (79.1-88.6%)	15.46% (11.2-20.6%)	0.16%† (0.0-0.7%)	0.00%† (NA)	0.09%† (0.0-0.6%)
Guam	0					
Hawaii	528	64.37% (56.1-72.0%)	35.63% (28.0-43.9%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
Idaho	233	89.59%† (67.7-98.6%)	10.41%† (1.4-32.3%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
Illinois	1,857	73.04% (67.1-78.4%)	26.80% (21.4-32.7%)	0.05%† (0.0-0.4%)	0.00%† (NA)	0.11%† (0.0-0.4%)
Indiana	558	85.27% (82.1-88.1%)	14.20% (11.4-17.4%)	0.35%† (0.0-1.8%)	0.00%† (NA)	0.18%† (0.0-1.3%)
Iowa	431	92.28% (80.0-98.2%)	6.83%† (1.9-16.4%)	0.88%† (0.0-4.3%)	0.00%† (NA)	0.00%† (NA)
Kansas	204	88.71% (83.5-92.7%)	11.29% (7.3-16.5%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)
Kentucky	594	95.64% (91.4-98.2%)	4.36%† (1.8-8.6%)	0.00%† (NA)	0.00%† (NA)	0.00%† (NA)

Table includes weighted estimates of variant proportions from sequences collected over the **four weeks ending 3/19/2022** obtained through CDC genomic surveillance (NS3 and CDC-funded sequencing contracts) and tagged baseline surveillance sequencing submitted to public repositories by state, local, academic, or commercial laboratories. The four week timeframe used for the analysis will roll forward each week. Variants with zero observations in all jurisdictions are not enumerated in this chart (B.1.351/Beta, P.1/Gamma, P.2/Zeta, B.1.427/429/Epsilon, B.1.525/Eta, B.1.526/Iota, B.1.617.1/Kappa, B.1.617.3, AY.1/Delta, AY.2/Delta, B.1.621/Mu).
***** Other represents weighted estimates for variants not designated as a variant of concern (VOC), variant of interest (VOI), or variant being monitored (VBM).
† Estimates are less reliable based on one or more violations of NCHS data presentation standar..

Download Data

Updated April 12, 2022